CORPS OF ENGINEERS

U. S. ARMY

E 556,000

E 546,000

E 566,000

N 610,000

N 600,000

TABULATION OF CHANNEL COORDINATES U.S. STATE PLANE, NAD 83. ZONE 2900, NEW JERSEY, U.S. FEET		
Easting	Northing	Point
562377.60	602153.06	1
562332.90	602237.68	2
561921.44	601741.95	2A
559027.49	601693.55	4
558665.93	601808.01	4A
556294.49	603536.87	6
555413.44	604179.17	8
553004.82	605935.13	10
552614.16	606372.61	12
552232.62	607043.72	14
552027.93	607599.10	14A
551763.07	608981.90	16
551387.47	609816.80	18
549346.60	611120.37	20
548496.54	611309.14	22
546682.88	611162.47	24
545466.63	610570.51	26
542898.67	608788.92	30
540883.81	606608.22	32
540679.56	606186.29	34
539363.26	603844.42	36
539624.76	603697.45	35B
539894.23	604176.86	35A
540302.71	604291.38	35
540670.17	604945.14	33B
540555.65	605353.61	33A
540945.55	606047.32	33
541134.39	606437.39	31
543096.68	608561.20	29
544466.95	609513.86	28
543280.08	606223.93	39A
543562.23	606122.08	39
544595.01	608983.14	37A
544897.39	609488.40	37
545450.06	610103.33	27A
545489.99	610133.41	27
545920.31	610457.71	25
546493.63	610736.74	23A
547062.36	610892.20	23
548475.64	611006.50	21A
548933.47	610904.83	21
549475.34	610672.55	19A
550812.69	609774.34	19
551310.18	609346.43	17A
551329.32	609137.27	17
551534.23	608582.01	15
551799.07	607199.35	13
552533.54	605907.46	11
553156.54	605453.28	9
555236.71	603936.78	7
558732.04	601388.59	5
563006.27	601460.07	3



LOCAL CONTROL DATA
BENCHMARK: HESS 83 RESET 1988
ELEVATION: 10.25' (NAVD 1988)

NSRS BENCHMARK
BENCHMARK: B5 (PID: KV0006)
ELEVATION: 63.49' (NAVD 1988)

NOTE:

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED THE GENERAL CONDITIONS EXISTING AT THAT TIME.

THE PLANIMETRICS SHOWN ON THIS MAP ARE FOR ORIENTATION PURPOSES ONLY.

COORDINATES REFER TO THE NEW JERSEY MERCATOR SYSTEM (NAD 1983).

SOUNDINGS REFER TO THE PLANE OF MEAN LOWER LOW WATER.

THE PLANE OF MEAN LOWER LOW WATER WAS DERIVED USING VDATUM (NTDE 1983-2001).

THE PLANE OF MEAN LOWER LOW WATER IS 2.9 TO 3.0 FEET BELOW NAVD 1988.

THE SOUNDING DATA DEPICTED ON THIS MAP WAS COLLECTED USING PROJECT CLASSIFICTION-GENERAL, AS DEPICTED IN THE EM 1110-2-1003.

THE DATA ON THIS MAP IS REPRESENTATIVE OF A LARGER DATA SET.

THIS SURVEY WAS PERFORMED USING RTK GPS FROM STATION BAZAARO HESS.

US ARMY CORPS OF ENGINEERS NEW YORK DISTRICT

DATES OF SURVEY:
25-26 JUNE 2012
23-24 JULY 2012
25-26 JULY 2012

SCALE: ONE INCH = 1000 FEET

FIELD BOOKS: 15438

FILE NO.: 520
REQUEST NO.: 3844N1N2

APPROVED: S. RYSHKEWITCH
CHIEF, SURVEY SECTION

APPROVED: M. FORTE
CHIEF, ENGINEERING SECTION

APPROVED: D. CLARKE
CHIEF, CARTOGRAPHIC

APPROVED: F. POSTIGLIONE
CHIEF, OF SURVEYS

DATE: 8 AUGUST 2012

DEPARTMENT OF THE ARMY
NEW YORK DISTRICT
CORPS OF ENGINEERS
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEY SECTION
CENAN-OP-S

RARITAN RIVER
NEW JERSEY
CONDITION SURVEY

VH-101

SHEET 1 OF 11

520
3844N1N2

CORPS OF ENGINEERS

U. S. ARMY

E 560.000

E 561.000

E 562.000

E 563.000

N 602.000

N 601.000

RED BELL • 2
FLOOD
26 JULY 2012

RED NUN • 6
FLOOD
26 JULY 2012

GREEN CAN • 5
FLOOD
26 JULY 2012

MATCH TO SHEET 3



LOCAL CONTROL DATA
BENCHMARK: HESS 83 RESET 1988
ELEVATION: 10.25' (NAVD 1988)

NSRS BENCHMARK
BENCHMARK: B5 (PID: KV0006)
ELEVATION: 63.49' (NAVD 1988)

NOTE:

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED THE GENERAL CONDITIONS EXISTING AT THAT TIME.

THE PLANIMETRICS SHOWN ON THIS MAP ARE FOR ORIENTATION PURPOSES ONLY.

COORDINATES REFER TO THE NEW JERSEY MERCATOR SYSTEM (NAD 1983).

SOUNDINGS REFER TO THE PLANE OF MEAN LOWER LOW WATER.

THE PLANE OF MEAN LOWER LOW WATER WAS DERIVED USING VDATUM (NTDE 1983-2001).

THE PLANE OF MEAN LOWER LOW WATER IS 2.9 TO 3.0 FEET BELOW NAVD 1988.

THE SOUNDING DATA DEPICTED ON THIS MAP WAS COLLECTED USING PROJECT CLASSIFICTION = GENERAL, AS DEPICTED IN THE EM 1110-2-1003.

THE DATA ON THIS MAP IS REPRESENTATIVE OF A LARGER DATA SET.

THIS SURVEY WAS PERFORMED USING RTK GPS FROM STATION BAZAARO HESS.

US ARMY CORPS
OF ENGINEERS
NEW YORK DISTRICT

DATES OF SURVEY:
16 JULY 2012
25-26 JULY 2012

SCALE:
ONE INCH = 100 FEET

FIELD BOOKS:
14208

F.I.E. NO.: 520
REQUEST NO.: 3844N1N2

APPROVED: S. RYSKIEWICH
CHIEF, SURVEY & MAPS BRANCH

APPROVED: M. FORTE
CHIEF, ENGINEERING TECHNICIAN

APPROVED: D. CLARKE
CHIEF, SURVEY & MAPS BRANCH

APPROVED: F. POSTIGLIONE
CHIEF OF SURVEYS

DATE: 8 AUGUST 2012

DEPARTMENT OF THE ARMY
NEW YORK DISTRICT
CORPS OF ENGINEERS
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEY SECTION
CENAN-OPS

RARITAN RIVER
NEW JERSEY
CONDITION SURVEY

VH-102

SHEET 2 OF 11

520
3844N1N2

CORPS OF ENGINEERS

U. S. ARMY

N 604,000

E 538,000

E 539,000

N 603,000

E 540,000

N 604,000

E 537,000

N 603,000

E 540,000

MATCH TO SHEET 2

RED DAY BEACON LIGHT # 4

GREEN CAN # 3
FLOOD
26 JULY 2012

MATCH TO SHEET 4

N 602,000

E 537,000

N 601,000

E 538,000

GARDEN STATE PARKWAY

RT. 35 VICTORY BRIDGE

NEW JERSEY C.R.R. BRIDGE

SHEET 1 OF 11

SHEET 2 OF 11

SHEET 3 OF 11

SHEET 4 OF 11

SHEET 5 OF 11

SHEET 6 OF 11

SHEET 7 OF 11

SHEET 8 OF 11

SHEET 9 OF 11

SHEET 10 OF 11

SHEET 11 OF 11

LOCAL CONTROL DATA
BENCHMARK: HESS 83 RESET 1988
ELEVATION: 10.25' (NAVD 1988)

NSRS BENCHMARK
BENCHMARK: B5 (PID: KV0006)
ELEVATION: 63.49' (NAVD 1988)

NOTE:

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED THE GENERAL CONDITIONS EXISTING AT THAT TIME.

THE PLANIMETRICS SHOWN ON THIS MAP ARE FOR ORIENTATION PURPOSES ONLY.

COORDINATES REFER TO THE NEW JERSEY MERCATOR SYSTEM (NAD 1983).

SOUNDINGS REFER TO THE PLANE OF MEAN LOWER LOW WATER.

THE PLANE OF MEAN LOWER LOW WATER WAS DERIVED USING VDATUM (NTDE 1983-2001).
THE PLANE OF MEAN LOWER LOW WATER IS 2.9 TO 3.0 FEET BELOW NAVD 1988.

THE SOUNDING DATA DEPICTED ON THIS MAP WAS COLLECTED USING PROJECT CLASSIFICTION - GENERAL, AS DEPICTED IN THE EM 1110-2-1003.

THE DATA ON THIS MAP IS REPRESENTATIVE OF A LARGER DATA SET.

THIS SURVEY WAS PERFORMED USING RTK GPS FROM STATION BAZAARD HESS.

US ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT

DATES OF SURVEY:
19,20 JUNE 2012
25,26 JULY 2012

F.I.L.E. NO.: 520
REQUEST NO.: 3844N1N2

SCALE:
ONE INCH = 100 FEET

FIELD BOOKS:
14-36

APPROVED: S. RYSHKEWITCH
CHIEF, ENGINEERING SECTION

APPROVED: M. FORTE
CHIEF, ENGINEERING TECHNICIAN

APPROVED: D. CLARKE
CHIEF, SURVEY BRANCH

APPROVED: F. POSTIGLIONE
CHIEF, OF SURVEYS

DATE: 8 AUGUST 2012

DEPARTMENT OF THE ARMY
NEW YORK DISTRICT
CORPS OF ENGINEERS
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEY SECTION
CENAN-OPS

RARITAN RIVER
NEW JERSEY
CONDITION SURVEY

VH-103

SHEET 3 OF 11

520
3844N1N2

CORPS OF ENGINEERS

U. S. ARMY



N 606,000

E 555,000

E 556,000

N 605,000

E 557,000

N 604,000

N 603,000

E 554,000

RED DAY BEACON W/LIGHT # 6

RARITAN CUTOFF CHANNEL

JUNCTION R W/LIGHT
FLOOD
26 JULY 2012

MATCH TO SHEET 5

MATCH TO SHEET 3

| | | |

CORPS OF ENGINEERS

U. S. ARMY

E 552,000

N 608,000

E 553,000

N 607,000

E 554,000

N 606,000

MATCH TO SHEET 6

YELLOW BUOY "RUTGERS" W/ LIGHT
FLOOD
26 JULY 2012

RED BUOY W/LIGHT # 6
FLOOD
26 JULY 2012

NEW JERSEY C.R.R. BRIDGE

WING WALL

ABUTMENT

ABUTMENT

WING WALL

N 605,000

MATCH TO SHEET 4

N 604,000

E 551,000

E 552,000

E 553,000

E 554,000



LOCAL CONTROL DATA
BENCHMARK: HESS 83 RESET 1988
ELEVATION: 10.25' (NAVD 1988)

NSRS BENCHMARK
BENCHMARK: B5 (PID: KV0006)
ELEVATION: 63.49' (NAVD 1988)

NOTE:

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED THE GENERAL CONDITIONS EXISTING AT THAT TIME.

THE PLANIMETRICS SHOWN ON THIS MAP ARE FOR ORIENTATION PURPOSES ONLY.

COORDINATES REFER TO THE NEW JERSEY MERCATOR SYSTEM (NAD 1983).

SOUNDINGS REFER TO THE PLANE OF MEAN LOWER LOW WATER.

THE PLANE OF MEAN LOWER LOW WATER WAS DERIVED USING VDATUM (NTDE 1983-2001).
THE PLANE OF MEAN LOWER LOW WATER IS 2.9 TO 3.0 FEET BELOW NAVD 1988.

THE SOUNDING DATA DEPICTED ON THIS MAP WAS COLLECTED USING PROJECT CLASSIFICTION – GENERAL, AS DEPICTED IN THE EM 1110-2-1003.

THE DATA ON THIS MAP IS REPRESENTATIVE OF A LARGER DATA SET.

THIS SURVEY WAS PERFORMED USING RTK GPS FROM STATION BAZAARO HESS.

US ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT

DATES OF SURVEY:
19-20 JUNE 2012
23-26 JULY 2012

SCALE:
ONE INCH = 100 FEET

FIELD BOOKS:
14258

F.I.E. NO.: 520
REQUEST NO.1 384N1N2

DEPARTMENT OF THE ARMY
NEW YORK DISTRICT
CORPS OF ENGINEERS
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEY SECTION
CENAN-OPS

APPROVED: S. REISMEIER-SMITH
CHIEF, SURVEY SECTION

APPROVED: M. FORTE
CHIEF, ENGINEERING TECHNICIAN

APPROVED: D. CLARKE
CHIEF, HYDROGRAPHER

APPROVED: F. POSTIGLIONE
CHIEF OF BRANCH

DATE: 8 AUGUST 2012

RARITAN RIVER
NEW JERSEY

CONDITION SURVEY

VH-105

SHEET 5 OF 11

520
3844N1N2

CORPS OF ENGINEERS

U. S. ARMY



N 611,000

E 552,000

N 610,000

N 609,000

E 553,000

N 608,000

E 551,000

RED #8 W/LIGHT
FLOOD
26 JULY 2012

GREEN CAN #7
FLOOD
26 JULY 2012

BOAT

HWY 35 VICTORY BRIDGE

NEW ALIGNMENT OF BRIDGE ABUTMENT

OIL BOOM

MATCH TO SHEET 5

MATCH TO SHEET 7

E 550,000

N 611,000

N 609,000

E 550,000

N 608,000

LOCAL CONTROL DATA
BENCHMARK: HESS 83 RESET 1988
ELEVATION: 10.25' (NAVD 1988)

NSRS BENCHMARK
BENCHMARK: B5 (PID: KV0006)
ELEVATION: 63.49' (NAVD 1988)

NOTE:

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED THE GENERAL CONDITIONS EXISTING AT THAT TIME.

THE PLANIMETRICS SHOWN ON THIS MAP ARE FOR ORIENTATION PURPOSES ONLY.

COORDINATES REFER TO THE NEW JERSEY MERCATOR SYSTEM (NAD 1983).

SOUNDINGS REFER TO THE PLANE OF MEAN LOWER LOW WATER.

THE PLANE OF MEAN LOWER LOW WATER WAS DERIVED USING VDATUM (NTDE 1983-2001).

THE PLANE OF MEAN LOWER LOW WATER IS 2.9 TO 3.0 FEET BELOW NAVD 1988.

THE SOUNDING DATA DEPICTED ON THIS MAP WAS COLLECTED USING PROJECT CLASSIFICTION - GENERAL, AS DEPICTED IN THE EM 1110-2-1003.

THE DATA ON THIS MAP IS REPRESENTATIVE OF A LARGER DATA SET.

THIS SURVEY WAS PERFORMED USING RTK GPS FROM STATION BAZAARD HESS.

US ARMY CORPS
OF ENGINEERS
NEW YORK DISTRICT

DATES OF SURVEY:
19-20 JUNE 2012
25-26 JULY 2012
27-28 AUG 2012

F.I.E. NO.: 520
REQUEST NO.1 3844N1N2

SCALE:
ONE INCH = 100 FEET

FIELD BOOKS:
14,508

APPROVED: S. RYSHKEWITCH — CHIEF, SURVEYANCE
APPROVED: M. FORTE — CHIEF, ENGINEERING TECHNICIAN
APPROVED: D. CLARKE — CHIEF, SURVEYANCE
APPROVED: F. POSTIGLIONE — CHIEF OF SURVEYS
DATE: 8 AUGUST 2012

DEPARTMENT OF THE ARMY
NEW YORK DISTRICT
CORPS OF ENGINEERS
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEY SECTION
CENAN-OPS

RARITAN RIVER
NEW JERSEY
CONDITION SURVEY

VH-106

SHEET 6 OF 11

520
3844N1N2

CORPS OF ENGINEERS

U. S. ARMY

E 547,000

E 548,000

E 549,000

N 612,000

N 611,000

N 610,000

GARDEN STATE PARKWAY

INTERSTATE HWY 9

BARGE

GREEN CAN # 9
FLOOD
26 JULY 2012

MATCH TO SHEET 8

MATCH TO SHEET 6



LOCAL CONTROL DATA
BENCHMARK: HESS 83 RESET 1988
ELEVATION: 10.25' (NAVD 1988)

NSRS BENCHMARK
BENCHMARK: B5 (PID: KV0006)
ELEVATION: 63.49' (NAVD 1988)

NOTE:

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED THE GENERAL CONDITIONS EXISTING AT THAT TIME.

THE PLANIMETRICS SHOWN ON THIS MAP ARE FOR ORIENTATION PURPOSES ONLY.

COORDINATES REFER TO THE NEW JERSEY MERCATOR SYSTEM (NAD 1983).

SOUNDINGS REFER TO THE PLANE OF MEAN LOWER LOW WATER.

THE PLANE OF MEAN LOWER LOW WATER WAS DERIVED USING VDATUM (NTDE 1983-2001).

THE PLANE OF MEAN LOWER LOW WATER IS 2.9 TO 3.0 FEET BELOW NAVD 1988.

THE SOUNDING DATA DEPICTED ON THIS MAP WAS COLLECTED USING PROJECT CLASSIFICTION - GENERAL, AS DEPICTED IN THE EM 1110-2-1003.

THE DATA ON THIS MAP IS REPRESENTATIVE OF A LARGER DATA SET.

THIS SURVEY WAS PERFORMED USING RTK GPS FROM STATION BAZAARD HESS.

US ARMY CORPS
OF ENGINEERS
NEW YORK DISTRICT

DATES OF SURVEY:
19-20 JUNE 2012
23-26 JULY 2012
2-5 AUG 2012

SCALE:
ONE INCH = 100 FEET

FIELD BOOKS:
14208

FILE NO.: 520
REQUEST NO.: 3844N1N2

APPROVED: S. RYSHKEWITCH
CHIEF, SURVEY CONTROL BRANCH

APPROVED: M. FORTE
CHIEF, ENGINEERING TECHNICIAN

APPROVED: D. CLARKE
CHIEF, SURVEY BRANCH

APPROVED: F. POSTIGLIONE
CHIEF OF SURVEYS

DATE: 8 AUGUST 2012

DEPARTMENT OF THE ARMY
NEW YORK DISTRICT
CORPS OF ENGINEERS
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEY SECTION
CENAN-OPS

RARITAN RIVER
NEW JERSEY
CONDITION SURVEY

VH-107

SHEET 7 OF 11

520
3844N1N2

CORPS OF ENGINEERS

U. S. ARMY



LOCAL CONTROL DATA
BENCHMARK: HESS 83 RESET 1988
ELEVATION: 10.25' (NAVD 1988)

NSRS BENCHMARK
BENCHMARK: B5 (PID: KV0006)
ELEVATION: 63.49' (NAVD 1988)

NOTE:

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED THE GENERAL CONDITIONS EXISTING AT THAT TIME.

THE PLANIMETRICS SHOWN ON THIS MAP ARE FOR ORIENTATION PURPOSES ONLY.

COORDINATES REFER TO THE NEW JERSEY MERCATOR SYSTEM (NAD 1983).

SOUNDINGS REFER TO THE PLANE OF MEAN LOWER LOW WATER.

THE PLANE OF MEAN LOWER LOW WATER WAS DERIVED USING VDATUM (NTDE 1983-2001).
THE PLANE OF MEAN LOWER LOW WATER IS 2.9 TO 3.0 FEET BELOW NAVD 1988.

THE SOUNDING DATA DEPICTED ON THIS MAP WAS COLLECTED USING PROJECT CLASSIFICTION - GENERAL, AS DEPICTED IN THE EM 1110-2-1003.

THE DATA ON THIS MAP IS REPRESENTATIVE OF A LARGER DATA SET.

THIS SURVEY WAS PERFORMED USING RTK GPS FROM STATION BAZAARO HESS.

US ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT

DATES OF SURVEY:
11-20 JUNE 2012
25-26 JULY 2012

F.I.E. NO.: 520
REQUEST NO.1 3844N1N2

SCALE:
ONE INCH = 100 FEET

FIELD BOOKS:
14258

APPROVED: S. RYSHKEWITCH
CHIEF, ENGINEERING DIVISION

APPROVED: M. FORTE
CHIEF, ENGINEERING TECHNICIAN

APPROVED: D. CLARKE
CHIEF, HYDROGRAPHIC SURVEY UNIT

APPROVED: F. POSTIGLIONE
CHIEF OF SURVEY

DATE: 8 AUGUST 2012

DEPARTMENT OF THE ARMY
NEW YORK DISTRICT
CORPS OF ENGINEERS
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEY SECTION
CENAN-OP-HS

RARITAN RIVER
NEW JERSEY

CONDITION SURVEY

VH-108

SHEET 08 OF 11

520
3844N1N2

CORPS OF ENGINEERS

U. S. ARMY

N 608,000

E 541,000

N 607,000

E 542,000

N 606,000

E 543,000

E 544,000

N 605,000

MATCH TO SHEET 10

MATCH TO SHEET 8

MATCH TO SHEET 11

BULKHEAD

SUBMERGED PILINGS

GREEN CAN/W LIGHT # 15
FLOOD
26 JULY 2012



LOCAL CONTROL DATA
BENCHMARK: HESS 83 RESET 1988
ELEVATION: 10.25' (NAVD 1988)

NSRS BENCHMARK
BENCHMARK: B5 (PID: KV0006)
ELEVATION: 63.49' (NAVD 1988)

NOTE:

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED THE GENERAL CONDITIONS EXISTING AT THAT TIME.

THE PLANIMETRICS SHOWN ON THIS MAP ARE FOR ORIENTATION PURPOSES ONLY.

COORDINATES REFER TO THE NEW JERSEY MERCATOR SYSTEM (NAD 1983).

SOUNDINGS REFER TO THE PLANE OF MEAN LOWER LOW WATER.

THE PLANE OF MEAN LOWER LOW WATER WAS DERIVED USING VDATUM (NTDE 1983-2001).
THE PLANE OF MEAN LOWER LOW WATER IS 2.9 TO 3.0 FEET BELOW NAVD 1988.

THE SOUNDING DATA DEPICTED ON THIS MAP WAS COLLECTED USING PROJECT CLASSIFICTION – GENERAL, AS DEPICTED IN THE EM 1110-2-1003.

THE DATA ON THIS MAP IS REPRESENTATIVE OF A LARGER DATA SET.

THIS SURVEY WAS PERFORMED USING RTK GPS FROM STATION BAZAARO HESS.

US ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT

DATES OF SURVEY:
19-20 JUNE 2012
25-26 JUNE 2012

FILE NO.: 520
REQUEST NO.1 3844N1N2

SCALE:
ONE INCH = 100 FEET

FIELD BOOKS:
14-208

APPROVED: S. RYSHKEWITCH — CHIEF CARTOGRAPHER
APPROVED: M. FORTE — CHIEF, ENGINEERING TECHNICIAN
APPROVED: D. CLARKE — CHIEF CARTOGRAPHER
APPROVED: F. POSTIGLIONE — CHIEF OF SURVEY
DATE: 8 AUGUST 2012

DEPARTMENT OF THE ARMY
NEW YORK DISTRICT
CORPS OF ENGINEERS
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEY SECTION
CENAN-OPS

RARITAN RIVER
NEW JERSEY
CONDITION SURVEY

VH–109

SHEET 09 OF 11

520
3844N1N2

CORPS OF ENGINEERS

U. S. ARMY

N 604,000

N 605,000

N 606,000

N 607,000

E 539,000

E 540,000

E 541,000

E 542,000

N 603,000

N 604,000

N 605,000

N 606,000

BULKHEAD

PILINGS

DEBRIS

Submerged pilings

GREEN BUOY #25 W/LIGHT
EBB
2 AUGUST 2011

YELLOW BUOY "RUTGERS" W/LIGHT
FLOOD
26 JULY 2012

GREEN BUOY # 17 W/LIGHT
FLOOD
26 JULY 2012

MATCH TO SHEET 9

GARDEN STATE PARKWAY

HWY 35 VICTORY BRIDGE

NEW JERSEY C.R.R. BRIDGE

SHEET 1 OF 11

SHEET 2 OF 11

SHEET 3 OF 11

SHEET 4 OF 11

SHEET 5 OF 11

SHEET 6 OF 11

SHEET 7 OF 11

SHEET 8 OF 11

SHEET 9 OF 11

SHEET 10 OF 11

SHEET 11 OF 11

LOCAL CONTROL DATA
BENCHMARK: HESS 83 RESET 1988
ELEVATION: 10.25' (NAVD 1988)

NSRS BENCHMARK
BENCHMARK: B5 (PID: KV0006)
ELEVATION: 63.49' (NAVD 1988)

NOTE:

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED THE GENERAL CONDITIONS EXISTING AT THAT TIME.

THE PLANIMETRICS SHOWN ON THIS MAP ARE FOR ORIENTATION PURPOSES ONLY.

COORDINATES REFER TO THE NEW JERSEY MERCATOR SYSTEM (NAD 1983).

SOUNDINGS REFER TO THE PLANE OF MEAN LOWER LOW WATER.

THE PLANE OF MEAN LOWER LOW WATER WAS DERIVED USING VDATUM (NTDE 1983-2001).

THE PLANE OF MEAN LOWER LOW WATER IS 2.9 TO 3.0 FEET BELOW NAVD 1988.

THE SOUNDING DATA DEPICTED ON THIS MAP WAS COLLECTED USING PROJECT CLASSIFICTION - GENERAL, AS DEPICTED IN THE EM 1110-2-1003.

THE DATA ON THIS MAP IS REPRESENTATIVE OF A LARGER DATA SET.

THIS SURVEY WAS PERFORMED USING RTK GPS FROM STATION BAZAARO HESS.

US ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT

DATES OF SURVEY:
19-20 JUNE 2012
23-26 JULY 2012

SCALE:
ONE INCH = 100 FEET

FIELD BOOKS:
14799

FILE NO.: 520
REQUEST NO.: 3844N1N2

APPROVED: S. SKYSHEWITCH
CHIEF, ENGINEERING DIVISION

APPROVED: M. FORTE
CHIEF, ENGINEERING TECHNICIAN

APPROVED: D. CLARKE
CHIEF, HYDROGRAPHER

APPROVED: F. POSTIGLIONE
CHIEF OF SURVEY

DATE: 8 AUGUST 2012

DEPARTMENT OF THE ARMY
NEW YORK DISTRICT
CORPS OF ENGINEERS
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEY SECTION
CENAN-OPS-S

RARITAN RIVER
NEW JERSEY

CONDITION SURVEY

VH-110

SHEET 10 OF 11

520
3844N1N2

CORPS OF ENGINEERS

U. S. ARMY

E 542,000

N 696,000

N 697,000

N 698,000

E 543,000

N 699,000

MATCH TO SHEET 8

E 544,000

N 695,000

E 543,000



MATCH TO SHEET 8

E 545,000

E 544,000



LOCAL CONTROL DATA
BENCHMARK: HESS 83 RESET 1988
ELEVATION: 10.25' (NAVD 1988)

NSRS BENCHMARK
BENCHMARK: B5 (PID: KV0006)
ELEVATION: 63.49' (NAVD 1988)

NOTE:

THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED THE GENERAL CONDITIONS EXISTING AT THAT TIME.

THE PLANIMETRICS SHOWN ON THIS MAP ARE FOR ORIENTATION PURPOSES ONLY.

COORDINATES REFER TO THE NEW JERSEY MERCATOR SYSTEM (NAD 1983).

SOUNDINGS REFER TO THE PLANE OF MEAN LOWER LOW WATER.

THE PLANE OF MEAN LOWER LOW WATER WAS DERIVED USING VDATUM (NTDE 1983-2001).

THE PLANE OF MEAN LOWER LOW WATER IS 2.9 TO 3.0 FEET BELOW NAVD 1988.

THE SOUNDING DATA DEPICTED ON THIS MAP WAS COLLECTED USING PROJECT CLASSIFICTION - GENERAL, AS DEPICTED IN THE EM 1110-2-1003.

THE DATA ON THIS MAP IS REPRESENTATIVE OF A LARGER DATA SET.

THIS SURVEY WAS PERFORMED USING RTK GPS FROM STATION BAZAARD HESS.

N 695,000

N 696,000

N 697,000

E 545,000

N 698,000

US ARMY CORPS OF ENGINEERS NEW YORK DISTRICT

DATES OF SURVEY:
24 JULY 2012
25-26 JULY 2012

SCALE:
ONE INCH = 100 FEET

FIELD BOOKS:
14436

F.I.E. NO.: 520
REQUEST NO.: 3844N1N2

APPROVED: S. RYSHKEWITCH
CHIEF, SURVEY SECTION

APPROVED: M. FORTE
CIVIL ENGINEERING TECHNICIAN

APPROVED: D. CLARKE
CHIEF, CARTOGRAPHIC

APPROVED: F. POSTIGLIONE
CHIEF, OPERATIONS DIVISION

DATE: 8 AUGUST 2012

DEPARTMENT OF THE ARMY
NEW YORK DISTRICT
CORPS OF ENGINEERS
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEY SECTION
CENAN-OPS

RARITAN RIVER
NEW JERSEY
CONDITION SURVEY

VH-111

SHEET 11 OF 11

520
3844N1N2