

APPROVED JURISDICTIONAL DETERMINATION FORM
U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): **SEP 10 2007**

B. DISTRICT OFFICE, FILE NAME, AND NUMBER: NY District, Byrne Residential Lot, NAN-2007-713-EJE

C. PROJECT LOCATION AND BACKGROUND INFORMATION:

State: New York County/parish/borough: Rockland City: Orangetown
Center coordinates of site (lat/long in degree decimal format): Lat. 41.0725° N, Long. -74.0037° W
Universal Transverse Mercator:

Name of nearest waterbody: Unnamed tributary to Nauraushaun Brook

Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Hackensack River

Name of watershed or Hydrologic Unit Code (HUC): Hackensack-Passaic; 02030103

Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.

Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

Office (Desk) Determination. Date:

Field Determination. Date(s): August 14, 2007

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There **Are no** "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required]

Waters subject to the ebb and flow of the tide.

Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce.

Explain:

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There **Are** "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]

1. Waters of the U.S.

a. Indicate presence of waters of U.S. in review area (check all that apply):¹

TNWs, including territorial seas

Wetlands adjacent to TNWs

Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs

Non-RPWs that flow directly or indirectly into TNWs

Wetlands directly abutting RPWs that flow directly or indirectly into TNWs

Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs

Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs

Impoundments of jurisdictional waters

Isolated (interstate or intrastate) waters, including isolated wetlands

b. Identify (estimate) size of waters of the U.S. in the review area:

Non-wetland waters: linear feet: width (ft) and/or acres.

Wetlands: 0.4 acres.

c. Limits (boundaries) of jurisdiction based on: **1987 Delineation Manual**

Elevation of established OHWM (if known):

2. Non-regulated waters/wetlands (check if applicable):³

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.

Explain:

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. **TNW**

Identify TNW:

Summarize rationale supporting determination:

2. **Wetland adjacent to TNW**

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. **Characteristics of non-TNWs that flow directly or indirectly into TNW**

(i) **General Area Conditions:**

Watershed size: 210 square miles
Drainage area: 5.9 square miles
Average annual rainfall: 51 inches
Average annual snowfall: 32 inches

(ii) **Physical Characteristics:**

(a) Relationship with TNW:

- Tributary flows directly into TNW.
 Tributary flows through 2 tributaries before entering TNW.

Project waters are 2-5 river miles from TNW.
Project waters are 1 (or less) river miles from RPW.
Project waters are 1-2 aerial (straight) miles from TNW.
Project waters are 1 (or less) aerial (straight) miles from RPW.
Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW⁵: Wetlands on-site directly abut an unnamed seasonal RPW, which flows into the Nauraushaun Brook 0.25 miles to the east, which flows into the Hackensack River.

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

Tributary stream order, if known: 1.

(b) General Tributary Characteristics (check all that apply):

Tributary is: Natural
 Artificial (man-made). Explain:
 Manipulated (man-altered). Explain: Tributary has been channelized to be re-located along the

edge of property boundaries.

Tributary properties with respect to top of bank (estimate):

Average width: 3 feet
Average depth: 1 feet
Average side slopes: **2:1**.

Primary tributary substrate composition (check all that apply):

Silts Sands Concrete
 Cobbles Gravel Muck
 Bedrock Vegetation. Type/% cover:
 Other. Explain:

Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Tributary banks are well-stabilized with vegetation and small boulders in some areas.

Presence of run/riffle/pool complexes. Explain:

Tributary geometry: **Relatively straight**

Tributary gradient (approximate average slope): 3 %

(c) Flow:

Tributary provides for: **Seasonal flow**

Estimate average number of flow events in review area/year: **20 (or greater)**

Describe flow regime: Tributary holds flowing water for approximately 10 months of the year.

Other information on duration and volume: Tributary collects runoff from surrounding residential developments and also has a strong ground water outlet feeding the wetland from the adjacent parcel.

Surface flow is: **Discrete and confined**. Characteristics: Defined bed and bank/OHWM confined within the channel.

Subsurface flow: **Pick List**. Explain findings:

Dye (or other) test performed:

Tributary has (check all that apply):

Bed and banks
 OHWM⁶ (check all indicators that apply):
 clear, natural line impressed on the bank the presence of litter and debris
 changes in the character of soil destruction of terrestrial vegetation
 shelving the presence of wrack line
 vegetation matted down, bent, or absent sediment sorting
 leaf litter disturbed or washed away scour
 sediment deposition multiple observed or predicted flow events
 water staining abrupt change in plant community
 other (list):

Discontinuous OHWM.⁷ Explain:

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

High Tide Line indicated by: Mean High Water Mark indicated by:
 oil or scum line along shore objects survey to available datum;
 fine shell or debris deposits (foreshore) physical markings;
 physical markings/characteristics vegetation lines/changes in vegetation types.
 tidal gauges
 other (list):

(iii) **Chemical Characteristics:**

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).

Explain: Water color is clear, general water quality appeared good as the water source is residential runoff that does not appear to be contaminated, the watershed is 303(d) listed as impaired for metals.

Identify specific pollutants, if known: The watershed is 303(d) listed as impaired for metals; tributary has no listing for pollutants.

(iv) **Biological Characteristics. Channel supports (check all that apply):**

- Riparian corridor. Characteristics (type, average width):
- Wetland fringe. Characteristics: Wetlands supported along sides of tributary, providing buffer between the tributary and the surrounding residential development; wetland is forested with few invasives.
- Habitat for:
 - Federally Listed species. Explain findings:
 - Fish/spawn areas. Explain findings:
 - Other environmentally-sensitive species. Explain findings:
 - Aquatic/wildlife diversity. Explain findings:

2. **Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW**

(i) **Physical Characteristics:**

(a) General Wetland Characteristics:

Properties:

Wetland size: 0.5 acres

Wetland type. Explain: Forested.

Wetland quality. Explain: Good quality; mature forested wetland, few invasives present, good leaf litter present, soils contained dark organic matter, ponds for approximately 10 months of the year.

Project wetlands cross or serve as state boundaries. Explain:

(b) General Flow Relationship with Non-TNW:

Flow is: **Intermittent flow**. Explain:

Surface flow is: **Discrete**

Characteristics: Surface flow for wetland to the seasonal RPW is discrete; flows in a discrete pathway through the wetland emptying directly into the seasonal RPW (see photo).

Subsurface flow: **Pick List**. Explain findings:

Dye (or other) test performed:

(c) Wetland Adjacency Determination with Non-TNW:

Directly abutting

Not directly abutting

Discrete wetland hydrologic connection. Explain:

Ecological connection. Explain:

Separated by berm/barrier. Explain:

(d) Proximity (Relationship) to TNW

Project wetlands are **2-5** river miles from TNW.

Project waters are **1-2** aerial (straight) miles from TNW.

Flow is from: **Wetland to navigable waters**.

Estimate approximate location of wetland as within the **10 - 20-year** floodplain.

(ii) **Chemical Characteristics:**

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Water color is clear, general water quality appeared good as the water source is residential runoff that does not appear to be contaminated, the watershed is 303(d) listed as impaired for metals.

Identify specific pollutants, if known: The watershed is 303(d) listed as impaired for metals; tributary has no listing for pollutants.

(iii) **Biological Characteristics. Wetland supports (check all that apply):**

Riparian buffer. Characteristics (type, average width):

Vegetation type/percent cover. Explain: Forested wetland, white oak, spice bush, tussock sedge, skunk cabbage; 70% cover.

Habitat for:

Federally Listed species. Explain findings:

Fish/spawn areas. Explain findings:

Other environmentally-sensitive species. Explain findings:

Aquatic/wildlife diversity. Explain findings: Forested wetland can support various bird species.

3. **Characteristics of all wetlands adjacent to the tributary (if any)**

All wetland(s) being considered in the cumulative analysis: **1**

Approximately (0.4) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

<u>Directly abuts? (Y/N)</u>	<u>Size (in acres)</u>	<u>Directly abuts? (Y/N)</u>	<u>Size (in acres)</u>
Y	0.4		

Summarize overall biological, chemical and physical functions being performed: Wetland directly abuts the seasonal RPW; forested wetland type, which can support a variety of bird species; wetland collects runoff from surrounding residential developments and can serve to attenuate any impaired water quality in the runoff prior to entry into the Nauraushaun Brook and the Hackensack River.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. **Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
2. **Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
3. **Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW.** Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. **TNWs and Adjacent Wetlands.** Check all that apply and provide size estimates in review area:
 TNWs: linear feet width (ft), Or, acres.
 Wetlands adjacent to TNWs: acres.
2. **RPWs that flow directly or indirectly into TNWs.**
 Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial:
 Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: Tributary flows approximately 10 months of the year; bottom of tributary saturated to the surface in August.

Provide estimates for jurisdictional waters in the review area (check all that apply):

Tributary waters: linear feet width (ft).

Other non-wetland waters: acres.

Identify type(s) of waters:

3. Non-RPWs⁸ that flow directly or indirectly into TNWs.

- Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):

Tributary waters: linear feet width (ft).

Other non-wetland waters: acres.

Identify type(s) of waters:

4. Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.

- Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.
- Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
- Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland is contiguous and directly contacts the seasonal RPW; also present was a discrete surface hydrologic connection between the wetland and the seasonal RPW.

Provide acreage estimates for jurisdictional wetlands in the review area: **0.4** acres.

5. Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.

- Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.

- Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: acres.

7. Impoundments of jurisdictional waters.⁹

As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.

- Demonstrate that impoundment was created from "waters of the U.S.," or
- Demonstrate that water meets the criteria for one of the categories presented above (1-6), or
- Demonstrate that water is isolated with a nexus to commerce (see E below).

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):¹⁰

- which are or could be used by interstate or foreign travelers for recreational or other purposes.
- from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
- which are or could be used for industrial purposes by industries in interstate commerce.

⁸See Footnote # 3.

⁹To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

¹⁰Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

- Interstate isolated waters. Explain:
- Other factors. Explain:

Identify water body and summarize rationale supporting determination:

Provide estimates for jurisdictional waters in the review area (check all that apply):

- Tributary waters: linear feet width (ft).
- Other non-wetland waters: acres.
Identify type(s) of waters: .
- Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

- If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
- Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
 - Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).
- Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: .
- Other: (explain, if not covered above): .

Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):

- Non-wetland waters (i.e., rivers, streams): linear feet width (ft).
- Lakes/ponds: acres.
- Other non-wetland waters: acres. List type of aquatic resource: .
- Wetlands: acres.

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):

- Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
- Lakes/ponds: acres.
- Other non-wetland waters: acres. List type of aquatic resource: .
- Wetlands: acres.

SECTION IV: DATA SOURCES.


A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):

- Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant:
- Data sheets prepared/submitted by or on behalf of the applicant/consultant.
 - Office concurs with data sheets/delineation report.
 - Office does not concur with data sheets/delineation report.
- Data sheets prepared by the Corps:
- Corps navigable waters' study:
- U.S. Geological Survey Hydrologic Atlas:
 - USGS NHD data.
 - USGS 8 and 12 digit HUC maps.
- U.S. Geological Survey map(s). Cite scale & quad name:USGS Park Ridge (NJ, NY); 1:50,000.
- USDA Natural Resources Conservation Service Soil Survey. Citation: .
- National wetlands inventory map(s). Cite name:Park Ridge, NY.
- State/Local wetland inventory map(s): .
- FEMA/FIRM maps:
- 100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
- Photographs: Aerial (Name & Date): .
or Other (Name & Date):Byrne; 12/16/06.
- Previous determination(s). File no. and date of response letter: .
- Applicable/supporting case law: .
- Applicable/supporting scientific literature:See IV.B below.
- Other information (please specify):Google Earth.



B. ADDITIONAL COMMENTS TO SUPPORT JD: Significant Nexus Determination for RPW and its abutting wetlands for the Byrne Residential Lot project, NAN-2007-713-EJE (included in the record, even though not required as a matter of law):

The RPW abutting wetland does have the capacity to reduce pollutants from runoff from surrounding residential areas to the Nauraushaun Brook. The wetlands are located alongside the residential areas and can retain, convert, and cycle the potential runoff pollutants that would otherwise directly enter the tributary system. Furthermore, during large storm events, the wetlands can serve as flood storage areas, retaining flood waters and precluding them from potentially flooding the surrounding residential development. The wetlands did show strong organic matter content in the soils; the sediment was very dark in color and consisted predominantly of finer silt particles with gleyed/low chroma colors. The soils showed strong signs of good organic carbon levels, and was saturated to the surface. The surface showed vegetation litter with water-stained leaves indicating that ponding had occurred. Wetlands are an important part of the environment, providing functions such as flood protection, water quality improvement, and wildlife habitat, in particular for several endangered species (Mitsch and Gosselink, 2000). Nontidal wetlands are productive habitats for insects, which provide food support for fish and waterfowl. Mud substrates are productive areas of many marshes, particularly for benthic larvae. Insects are particularly abundant in seasonally flooded and semipermanent marshes (Batzer and Wissinger, 1996). Wetland transitional areas have been shown to improve water quality (Lowrance, 1997) and nutrient retention and transport (Vellidis, Lowrance, Gay, Hubbard, 2003). Marsh vegetation has been shown to remove high concentrations of nitrates through denitrification (Osborne and Kovacic, 1993). It slows down currents, increases transpiration and shades water, according to Mitsch and Gosselink (2000). Wetlands support several aerobic and anaerobic biogeochemical processes that regulate removal/retention of pollutants. Wetlands can remove carbon, toxic organic compounds, nitrate, and phosphorous (Reddy and D'Angelo, 1997). Freshwater wetlands can also significantly improve water quality (Kelly and Harwell, 1985; Nixon and Lee, 1988)

- Ambrose, W. 1984. Role of predatory infauna in structuring marine soft-bottom communities. *Mar. Ecol. Prog. Ser.* 17: 109-115
- Batzer, D.P. and Wissinger, S.A. 1996. Ecology of Insect Communities in Nontidal Wetlands. *Annu. Rev. Entomol.* Vol. 41: 75-100
- Bowden, W.B. 1987. The Biogeochemistry of Nitrogen in Freshwater Wetlands. *Biogeochemistry*, Vol. 4, No. 3: 313-348
- Hale, S.S., Paul, J.F., and Heltshe, J.F. 2004. Watershed landscape indicators of estuarine benthic condition. *Estuaries*. 27: 283-295
- Johnston, C.A., Detenbeck, N.E., and Niemi, G.J. 1990. The Cumulative Effect of Wetlands on Stream Water Quality and Quantity. A Landscape Approach. *Biogeochemistry*, Vol. 10, No. 2: 1005-141
- Jude, D.J. and Pappas, J. 1992. Fish Utilization of Great Lakes Coastal Wetlands. *Journal of Great Lakes Research*, Vol. 18, No. 4: 651-672
- Kelly, J.R. and Harwell, M.A. 1985. Comparisons of the processing of elements by ecosystems. *Ecological Considerations in Wetlands Treatment of Municipal Wastewater*. Pgs: 137-157, Van Nostrand Reinhold, New York
- Lowrance, R. 1997. Water quality functions of riparian forest buffers in Chesapeake Bay watersheds. *Environmental Management* Vol. 21, No. 5: 687-712
- Mitsch, WJ and Gosselink, JG. 2000. The value of wetlands: importance of scale and landscape setting. *Ecological Economics* 35:25-33
- Nixon, S.W. and Lee, V. 1988. *Wetlands and Water Quality*. U.S. Army Corps of Engineers, Washington, D.C., in press
- Osborne, LL and Kovacic, DA. 1993. Riparian vegetated buffer strips in water-quality restoration and stream management. *Freshwater Biology* Vol. 29, No. 2: 243-258
- Reddy, K.R. and D'Angelo, E.M. 1997. Biogeochemical Indicators to Evaluate Pollutant Removal Efficiency in Constructed Wetlands. *Water Science and Technology*, Vol. 35, No. 5: 1-10
- Vellidis, G, Lowrance, R, Gay, P, Hubbard, RK. 2003. Nutrient transport in a restored riparian wetland. *Journal of Environmental Quality* Vol. 32:711-726
- Weinstein, M.P. and Balletto, J.H. 1999. Does the Common Reed, *Phragmites australis*, Affect Essential Fish Habitat? *Estuaries*: Vol. 22, No. 3B: 793-802
- Whigham, D.F., Chitterling, C., and Palmer, B. 1988. Impacts of Freshwater Wetlands on Water Quality: A Landscape Perspective. *Environmental Management*, Vol. 12, No. 5: 663-671.



Byrne Subdivision
 Town of Orangetown
 Rockland County, New York
 National Wetlands Inventory
 Scale 1" = 2000 Ft.



41.0725°N, 74.0037°W (NAD83/WGS84)
USGS Park Ridge (NJ,NY) Quadrangle
 Projection is UTM Zone 18 NAD83 Datum



M=-13.52
 G=0.655