




LOCAL CONTROL DATA	NSRS BENCHMARK
NCHMARK: TBM ROSE EVATION: 10.98' (NAVD 1988)	BENCHMARK: B 5 (PID KV0006) ELEVATION: 63.49' (NAVD 1988)






LOCAL CONTROL DATA	NSRS BENCHMARK
BENCHMARK: TBM ROSE	BENCHMARK: E 5 (PID KV0006)
ELEVATION: 10.98' (NAVD 1988)	ELEVATION: 63.49' (NAVD 1988)

		SURVEY:
		DATES OF SUR
$\frac{2^{4} + 2}{3^{5}} \frac{2^{5} + 2}{3^{5}} \frac{2^{5} + 2^$	EET 4	SCALE:
3 ¹⁴ 42 ¹ 4 ¹ , ⁹ 4 ¹ , ⁰ 40.5 40.0 39.5 39. 39.4 38.7 38.2 38.0 38.6 38.6 38.6 38.6 38.6 38.6 41.3 41.1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	MATCH TO SH	M. APPELD
42.9 42.9 42.1 40.1 40.0 92.2 99.2 99.1 99.1 99.6 99.6 80.0 40.0 40.0 40.1 99.6 99.6 99.6 80.0 40.0		APPROVED:
		DEPARTMENT OF THE ARMY S. ARMY CORPS OF ENGINEERS
ROJECT SPECIFIC NOTES:		J CHANNEL
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS THE GENERAL CONDITIONS EXISTING AT THAT TIME. THE SOUNDINGS ON THIS MAP MEET EM 1110-2-1003 ACCURACY STANDARDS. COORDINATES REFER TO US STATE PLANE COORDINATE SYSTEM NAD 1983, NEW JERSEY MERCATOR - ZONE 2900, US SURVEY FEET. SOUNDINGS ON THIS MAP REFER TO THE PLANE OF MEAN LOWER LOW WATER (MLLW) [EPOCH 1983-2001]. MEAN LOWER LOW WATER IS 3.0 TO 3.2 FEET BELOW NAVD88 AS DETERMINED JSING VDATUM (VER. 4.3). SOUNDINGS DEPICTED ON THIS MAP ARE BASED ON A 3' × 3' MEDIAN CELL, SORTED TO A 45' INTERVAL.		ſΝ λΝ
CONTOURS ON THIS MAP WERE GENERATED USING THE 3 × 3 DATA SET. THE DATA DEPICTED ON THIS MAP SHOULD NOT BE USED FOR VOLUME CALCULATION PURPOSES. AERIAL IMAGERY PROVIDED BY DISCOVER GIS DATA NY 2020 AND IS FOR ORIENTATION PURPOSES ONLY. THIS SURVEY WAS PERFORMED USING REAL TIME KINEMATIC GPS FROM STATION "NY DOT RTN" AND "FIRE". THIS MAP IS CEPD COMPLIANT IN ACCORDANCE WITH ER 1110-2-8160 AND EM 1110-2-6056.		





NUN #60 11 MAY 202

5 36.9 36.1 36.1 36.2 36.4

 $\frac{5 \cdot 6}{35 \cdot 8} \frac{35 \cdot 2}{36 \cdot 4} \frac{36 \cdot 6}{36 \cdot 9} \frac{36 \cdot 5}{36 \cdot 1} \frac{36 \cdot 2}{36 \cdot 9} \frac{36 \cdot 5}{36 \cdot 1} \frac{36 \cdot 9}{36 \cdot 1} \frac{36 \cdot 1}{36 \cdot 1} \frac{36 \cdot 1}{3$

29. 29. 30. 31. 2 31. 31. 31. 32. 2 32. 33. 4 34. 33. 6 33. 33. 8 33. 9 34. 33. 8 33. 8 33. 8 33. 8 33. 9 34. 34. 34. 2 34. 4 34. 5 34. 7 34. 433. 0 34. 7 34. 0


36.1 36.2 36.0 36.5


	LOCAL	CONTROL	DATA	
ГВМ	ROSE			

BENCHMARK:	TBM ROS	SE	
ELEVATION:	10,98'	(NAVD	1988)


	NSRS BENCHMARK
	BENCHMARK: B 5 (PID KV0006) ELEVATION: 63.49' (NAVD 1988)
~	

33.3 32.6 32.4






U
-S
М
-C
-T
С
-A
А
-T
F
т



LOCAL	CONTROL	DA



EN #41 W/LIGHT EBB 16 MAY 2022	ſ		GREEN CAN #39 EBB 16 MAY 2022	
	•			
				PI
				-
				-
				-
BENCHMAR	LOCAL CONTROL DATA	BENCHMAR	NSRS BENCHMARK RK: B 5 (PID KV0006)	

