

PROJECT SPECIFIC NOTES:

-THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS THE GENERAL CONDITIONS EXISTING AT THAT TIME.
-THE SOUNDINGS ON THIS MAP MEET EM 1110-2-1003 ACCURACY STANDARDS.
-THIS MAP IS CEPD COMPLIANT IN ACCORDANCE WITH ER 1110-2-8160 AND EM 1110-2-6056.
-COORDINATES REFER TO US STATE PLANE COORDINATE SYSTEM NAD 1983, LONG ISLAND LAMBERT - ZONE 3104, US SURVEY FEET.
-SOUNDINGS ON THIS MAP REFER TO THE PLANE OF MEAN LOWER LOW WATER (MLLW) [EPOCH 1983-2001].
-MEAN LOWER LOW WATER IS 2.8-2.9 FEET BELOW NAVD88 AS DETERMINED USING VDATUM (VER. 4.3).
-SOUNDINGS DEPICTED ON THIS MAP ARE BASED ON A 3' x 3' MEDIAN CELL, SORTED TO A 45' INTERVAL.
-CONTOURS ON THIS MAP WERE GENERATED USING THE 3 x 3 DATA SET.
-THE DATA DEPICTED ON THIS MAP SHOULD NOT BE USED FOR VOLUME CALCULATION PURPOSES.
-AERIAL IMAGERY PROVIDED BY NOAA DIGITAL COAST AND IS FOR ORIENTATION PURPOSES ONLY.
-THIS SURVEY WAS PERFORMED USING REAL TIME KINEMATIC GPS FROM STATION "CAVEN POINT".

0 800' 1600'

NSRS BENCHMARK	LOCAL CONTROL DATA
BENCHMARK: P 342 (KV0561)	BENCHMARK: PK PIER 4 NORTH
ELEVATION: 38.36' (NAVD 1988)	ELEVATION: 6.03' (NAVD 1988)

US ARMY CORPS
OF ENGINEERS
NEW YORK DISTRICT

PR
MP
JDS.COM

DATES OF SURVEY:
29 DECEMBER 2022
10, 11, 17, 18 JANUARY 2023
19, 23, 24 JANUARY 2023

REQ. NO./FILE NO.:5254/N1

SCALE:
ONE INCH = 800 FEET

FIELD BOOKS:
1022

APPROVED: P. KEARNS
FIELD CARTOGRAPHER

APPROVED: M. FORTE
CIVIL ENGINEERING TECHNICIAN

APPROVED: P. BHADUR
CHIEF OF SURVEY SUPPORT SECTION

APPROVED: M. MRAZ
CHIEF OF SURVEYS AND MAPPING BRANCH

DATE: 30 JANUARY 2023

DEPARTMENT OF THE ARMY
U.S. ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEYS AND MAPPING BRANCH
CENAN-OP-S

NEW YORK HARBOR
RED HOOK FLATS ANCHORAGE
NEW JERSEY
PLANS AND SPECS SURVEY

VH-101

1 OF 6

MATCH TO SHEET 3



PROJECT SPECIFIC NOTES:

-THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS THE GENERAL CONDITIONS EXISTING AT THAT TIME.
-THE SOUNDINGS ON THIS MAP MEET EM 1110-2-1003 ACCURACY STANDARDS.
-THIS MAP IS CEPD COMPLIANT IN ACCORDANCE WITH ER 1110-2-8160 AND EM 1110-2-6056.
-COORDINATES REFER TO US STATE PLANE COORDINATE SYSTEM NAD 1983, LONG ISLAND LAMBERT - ZONE 3104, US SURVEY FEET.
-SOUNDINGS ON THIS MAP REFER TO THE PLANE OF MEAN LOWER LOW WATER (MLLW) [EPOCH 1983-2001].
-MEAN LOWER LOW WATER IS 2.8-2.9 FEET BELOW NAVD88 AS DETERMINED USING VDATUM (VER. 4.3).
-SOUNDINGS DEPICTED ON THIS MAP ARE BASED ON A 3' x 3' MEDIAN CELL, SORTED TO A 45' INTERVAL.
-CONTOURS ON THIS MAP WERE GENERATED USING THE 3 x 3 DATA SET.
-THE DATA DEPICTED ON THIS MAP SHOULD NOT BE USED FOR VOLUME CALCULATION PURPOSES.
-AERIAL IMAGERY PROVIDED BY NOAA DIGITAL COAST AND IS FOR ORIENTATION PURPOSES ONLY.
-THIS SURVEY WAS PERFORMED USING REAL TIME KINEMATIC GPS FROM STATION "CAVEN POINT".

0 200'

NSRS BENCHMARK	LOCAL CONTROL DATA
BENCHMARK: P 342 (KV0561)	BENCHMARK: PK PIER 4 NORTH
ELEVATION: 38.36' (NAVD 1988)	ELEVATION: 6.03' (NAVD 1988)

US ARMY CORPS
OF ENGINEERS
NEW YORK DISTRICT

PR
MP
CB-SURVEYS.US.ARMY.MIL
JOS.COM

DATES OF SURVEY:
23 DECEMBER 2022
10, 11, 17, 18 JANUARY 2023
19, 24, 25 JANUARY 2023

REG. NO./FILE NO.:5254/N1

SCALE:
ONE INCH = 200 FEET

FIELD BOOKS:
1022

APPROVED: P. KEARNS
FIELD CARTOGRAPHER
APPROVED: M. FORTE
CIVIL ENGINEERING TECHNICIAN
APPROVED: P. BHADUR
CHIEF OF SURVEY SUPPORT SECTION
APPROVED: M. MRAZ
CHIEF OF SURVEYS AND MAPPING BRANCH
DATE: 30 JANUARY 2023

DEPARTMENT OF THE ARMY
U.S. ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEYS AND MAPPING BRANCH
CENAN-OP-S

NEW YORK HARBOR
RED HOOK FLATS ANCHORAGE
NEW JERSEY
PLANS AND SPECS SURVEY

VH-102

2 OF 6

MATCH TO SHEET 4



PROJECT SPECIFIC NOTES:

-THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS THE GENERAL CONDITIONS EXISTING AT THAT TIME.
-THE SOUNDINGS ON THIS MAP MEET EM 1110-2-1003 ACCURACY STANDARDS.
-THIS MAP IS CEPD COMPLIANT IN ACCORDANCE WITH ER 1110-2-8160 AND EM 1110-2-6056.
-COORDINATES REFER TO US STATE PLANE COORDINATE SYSTEM NAD 1983. LONG ISLAND LAMBERT - ZONE 3104. US SURVEY FEET.
-SOUNDINGS ON THIS MAP REFER TO THE PLANE OF MEAN LOWER LOW WATER (MLLW) [EPOCH 1983-2001].
-MEAN LOWER LOW WATER IS 2.8-2.9 FEET BELOW NAVD88 AS DETERMINED USING VDATUM (VER. 4.3).
-SOUNDINGS DEPICTED ON THIS MAP ARE BASED ON A 3' x 3' MEDIAN CELL. SORTED TO A 45' INTERVAL.
-CONTOURS ON THIS MAP WERE GENERATED USING THE 3 x 3 DATA SET.
-THE DATA DEPICTED ON THIS MAP SHOULD NOT BE USED FOR VOLUME CALCULATION PURPOSES.
-AERIAL IMAGERY PROVIDED BY NOAA DIGITAL COAST AND IS FOR ORIENTATION PURPOSES ONLY.
-THIS SURVEY WAS PERFORMED USING REAL TIME KINEMATIC GPS FROM STATION "CAVEN POINT".

0 200' 400'

MATCH TO SHEET 2

NSRS BENCHMARK	LOCAL CONTROL DATA
BENCHMARK: P 342 (KV0561)	BENCHMARK: PK PIER 4 NORTH
ELEVATION: 38.36' (NAVD 1988)	ELEVATION: 6.03' (NAVD 1988)

US ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT

	PR	CB-DLGIS-ES-PLANS.DGN
	MP	JDS.COM

DATES OF SURVEY:
23 DECEMBER 2022
10, 11, 17, 18 JANUARY 2023
19, 23, 24 JANUARY 2023

REG. NO./FILE NO.:15254/N1

SCALE:
ONE INCH = 200 FEET

FIELD BOOKS:
1022

APPROVED: P. KEARNS, FIELD CARTOGRAPHER
APPROVED: M. FORTE, CIVIL ENGINEERING TECHNICIAN
APPROVED: P. BHADUR, CHIEF OF SURVEY SUPPORT SECTION
APPROVED: M. MRAZ, CHIEF OF SURVEYS AND MAPPING BRANCH
DATE: 30 JANUARY 2023

DEPARTMENT OF THE ARMY
U.S. ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEYS AND MAPPING BRANCH
CENAN-OP-S

NEW YORK HARBOR
RED HOOK FLATS ANCHORAGE
NEW JERSEY
PLANS AND SPECS SURVEY

VH-103

3 OF 6

MATCH TO SHEET 5



PROJECT SPECIFIC NOTES:

-THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS THE GENERAL CONDITIONS EXISTING AT THAT TIME.
-THE SOUNDINGS ON THIS MAP MEET EM 1110-2-1003 ACCURACY STANDARDS.
-THIS MAP IS CEPD COMPLIANT IN ACCORDANCE WITH ER 1110-2-8160 AND EM 1110-2-6056.
-COORDINATES REFER TO US STATE PLANE COORDINATE SYSTEM NAD 1983, LONG ISLAND LAMBERT - ZONE 3104, US SURVEY FEET.
-SOUNDINGS ON THIS MAP REFER TO THE PLANE OF MEAN LOWER LOW WATER (MLLW) [EPOCH 1983-2001].
-MEAN LOWER LOW WATER IS 2.8-2.9 FEET BELOW NAVD88 AS DETERMINED USING VDATUM (VER. 4.3).
-SOUNDINGS DEPICTED ON THIS MAP ARE BASED ON A 3' x 3' MEDIAN CELL, SORTED TO A 45' INTERVAL.
-CONTOURS ON THIS MAP WERE GENERATED USING THE 3 x 3 DATA SET.
-THE DATA DEPICTED ON THIS MAP SHOULD NOT BE USED FOR VOLUME CALCULATION PURPOSES.
-AERIAL IMAGERY PROVIDED BY NOAA DIGITAL COAST AND IS FOR ORIENTATION PURPOSES ONLY.
-THIS SURVEY WAS PERFORMED USING REAL TIME KINEMATIC GPS FROM STATION "CAVEN POINT".

MATCH TO SHEET 3

0 200' 400'

NSRS BENCHMARK	LOCAL CONTROL DATA
BENCHMARK: P 342 (KV0561)	BENCHMARK: PK PIER 4 NORTH
ELEVATION: 38.36' (NAVD 1988)	ELEVATION: 6.03' (NAVD 1988)

US ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT

DATES OF SURVEY:	23 DECEMBER 2022 10, 11, 17, 18 JANUARY 2023 19, 24, 25 JANUARY 2023
SCALE:	ONE INCH = 200 FEET
FIELD BOOKS:	1022
REG. NO./FILE NO.:	15254/N1

APPROVED:	P. KEARNS	FIELD CARTOGRAPHER
APPROVED:	M. FORTE	CIVIL ENGINEERING TECHNICIAN
APPROVED:	P. BHADUR	CHIEF OF SURVEY SUPPORT SECTION
APPROVED:	M. MRAZ	CHIEF OF SURVEYS AND MAPPING BRANCH
DATE:	30 JANUARY 2023	

DEPARTMENT OF THE ARMY
U.S. ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEYS AND MAPPING BRANCH
CENAN-OP-S

NEW YORK HARBOR
RED HOOK FLATS ANCHORAGE
NEW JERSEY
PLANS AND SPECS SURVEY

VH-104

4 OF 6

MATCH TO SHEET 6

PROJECT SPECIFIC NOTES:

-THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS THE GENERAL CONDITIONS EXISTING AT THAT TIME.
-THE SOUNDINGS ON THIS MAP MEET EM 1110-2-1003 ACCURACY STANDARDS.
-THIS MAP IS CEPD COMPLIANT IN ACCORDANCE WITH ER 1110-2-8160 AND EM 1110-2-6056.
-COORDINATES REFER TO US STATE PLANE COORDINATE SYSTEM NAD 1983. LONG ISLAND LAMBERT - ZONE 3104, US SURVEY FEET.
-SOUNDINGS ON THIS MAP REFER TO THE PLANE OF MEAN LOWER LOW WATER (MLLW) [EPOCH 1983-2001].
-MEAN LOWER LOW WATER IS 2.8-2.9 FEET BELOW NAVD88 AS DETERMINED USING VDATUM (VER. 4.3).
-SOUNDINGS DEPICTED ON THIS MAP ARE BASED ON A 3' x 3' MEDIAN CELL. SORTED TO A 45' INTERVAL.
-CONTOURS ON THIS MAP WERE GENERATED USING THE 3 x 3 DATA SET.
-THE DATA DEPICTED ON THIS MAP SHOULD NOT BE USED FOR VOLUME CALCULATION PURPOSES.
-AERIAL IMAGERY PROVIDED BY NOAA DIGITAL COAST AND IS FOR ORIENTATION PURPOSES ONLY.
-THIS SURVEY WAS PERFORMED USING REAL TIME KINEMATIC GPS FROM STATION "CAVEN POINT".

(SPCS)

MATCH TO SHEET 4

0 200' 400'

NSRS BENCHMARK	LOCAL CONTROL DATA
BENCHMARK: P 342 (KV0561)	BENCHMARK: PK PIER 4 NORTH
ELEVATION: 38.36' (NAVD 1988)	ELEVATION: 6.03' (NAVD 1988)

US ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT

		PR	JDS.COM
		MP	CB.SURVEYS.MIL

DATES OF SURVEY:
29 DECEMBER 2022
10-11,17-18 JANUARY 2023
19-20,23 JANUARY 2023

REG. NO./FILE NO.:5254/N1

SCALE:
ONE INCH = 200 FEET

FIELD BOOKS:
1022

APPROVED: P. KEARNS, FIELD CARTOGRAPHER
APPROVED: M. FORTE, CIVIL ENGINEERING TECHNICIAN
APPROVED: P. BHADUR, CHIEF OF SURVEY SUPPORT SECTION
APPROVED: M. MRAZ, CHIEF OF SURVEYS AND MAPPING BRANCH
DATE: 30 JANUARY 2023

DEPARTMENT OF THE ARMY
U.S. ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEYS AND MAPPING BRANCH
CENAN-OP-S

NEW YORK HARBOR
RED HOOK FLATS ANCHORAGE
NEW JERSEY
PLANS AND SPECS SURVEY

VH-105
5 OF 6

PROJECT SPECIFIC NOTES:

-THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS THE GENERAL CONDITIONS EXISTING AT THAT TIME.
-THE SOUNDINGS ON THIS MAP MEET EM 1110-2-1003 ACCURACY STANDARDS.
-THIS MAP IS CEPD COMPLIANT IN ACCORDANCE WITH ER 1110-2-8160 AND EM 1110-2-6056.
-COORDINATES REFER TO US STATE PLANE COORDINATE SYSTEM NAD 1983. LONG ISLAND LAMBERT - ZONE 3104. US SURVEY FEET.
-SOUNDINGS ON THIS MAP REFER TO THE PLANE OF MEAN LOWER LOW WATER (MLLW) [EPOCH 1983-2001].
-MEAN LOWER LOW WATER IS 2.8-2.9 FEET BELOW NAVD88 AS DETERMINED USING VDATUM (VER. 4.3).
-SOUNDINGS DEPICTED ON THIS MAP ARE BASED ON A 3' x 3' MEDIAN CELL. SORTED TO A 45' INTERVAL.
-CONTOURS ON THIS MAP WERE GENERATED USING THE 3 x 3 DATA SET.
-THE DATA DEPICTED ON THIS MAP SHOULD NOT BE USED FOR VOLUME CALCULATION PURPOSES.
-AERIAL IMAGERY PROVIDED BY NOAA DIGITAL COAST AND IS FOR ORIENTATION PURPOSES ONLY.
-THIS SURVEY WAS PERFORMED USING REAL TIME KINEMATIC GPS FROM STATION "CAVEN POINT".

RED #32 W/LIGHT
EBB
17 JANUARY 2023

YELLOW "A" W/LIGHT
FLOOD
19 JANUARY 2023

(SPEED)

MATCH TO SHEET 5

0 200' 400'

NSRS BENCHMARK	LOCAL CONTROL DATA
BENCHMARK: P 342 (KV0561)	BENCHMARK: PK PIER 4 NORTH
ELEVATION: 38.36' (NAVD 1988)	ELEVATION: 6.03' (NAVD 1988)

US ARMY CORPS
OF ENGINEERS
NEW YORK DISTRICT

DRAWN:	PR
CHECKED:	MP
QA/QC:	JDS.COM

DATES OF SURVEY:
23 DECEMBER 2022
10, 11, 17, 18 JANUARY 2023
19, 23-25 JANUARY 2023

SCALE:
ONE INCH = 200 FEET

FIELD BOOKS:
1022

REG. NO./FILE NO.:15254/N1

APPROVED:	P. KEARNS	
APPROVED:	M. FORTE	FIELD CARTOGRAPHER
APPROVED:	P. BHADUR	CIVIL ENGINEERING TECHNICIAN
APPROVED:	M. MRAZ	CHIEF OF SURVEY SUPPORT SECTION
DATE:	30 JANUARY 2023	CHIEF OF SURVEYS AND MAPPING BRANCH

DEPARTMENT OF THE ARMY
U.S. ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEYS AND MAPPING BRANCH
CENAN-OP-S

NEW YORK HARBOR
RED HOOK FLATS ANCHORAGE
NEW JERSEY
PLANS AND SPECS SURVEY

VH-106

6 OF 6