


131-17-20-APRIL 2023	PR	FA/JHS/CM	CB
24-25-APRIL 2023	MP		

DATES OF SURVEY:	SCALE:	FIELD BOOKS:	REQ. NO./FILE NO.:
13-17-20-APRIL 2023	ONE INCH = 200 FEET	N/A	15995/D/N2/M3
24-25-APRIL 2023			


APPROVED:	P. KEARNS	FIELD CARTOGRAPHER
APPROVED:	M. FORTE	CHIEF ENGINEERING TECHNICIAN
APPROVED:	P. BALDUP	CHIEF OF SURVEY SUPPORT SECTION
APPROVED:	JL. MBAY	DEPUTY CHIEF OF SURVEYS AND MAPPING BRANCH
DATE:	1 MAY 2023	

DEPARTMENT OF THE ARMY	U.S. ARMY CORPS OF ENGINEERS	NEW YORK DISTRICT	NEW YORK, NEW YORK 10278
OPERATIONS DIVISION	SURVEYS AND MAPPING BRANCH	CENAN-OP-SS	

SANDY HOOK CHANNEL	NEW YORK HARBOR	CONDITION SURVEY
--------------------	-----------------	------------------

VH-102
2 OF 9

LOCAL CONTROL DATA	NSRS BENCHMARK
BENCHMARK: SIMPSON 2 RM 3 (PID:KV0707)	BENCHMARK: SIMPSON 2 (PID:KV0709)
ELEVATION: 6.85' (NAVD 1988)	ELEVATION: 6.92' (NAVD 1988)





- THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS THE GENERAL CONDITIONS EXISTING AT THAT TIME.
- THE SOUNDINGS ON THIS MAP MEET EM 1110-2-1003 ACCURACY STANDARDS.
- THIS MAP IS CEPD COMPLIANT IN ACCORDANCE WITH ER 1110-2-8160 AND EM 1110-2-6056.
- COORDINATES REFER TO US STATE PLANE COORDINATE SYSTEM NAD 1983, NEW JERSEY MERCATOR - ZONE 2900, US SURVEY FEET.
- SOUNDINGS ON THIS MAP REFER TO THE PLANE OF MEAN LOWER LOW WATER (MLLW) [EPOCH 1983-2001].
- MEAN LOWER LOW WATER IS 2.7-2.9 FEET BELOW NAVD88 AS DETERMINED USING VDATUM (VER. 4.3).
- SOUNDING DEPICTED ON THIS MAP ARE BASED ON A 3' x 3' MEDIAN CELL, SORTED TO 45° INTERVAL.
- CONTOURS ON THIS MAP WERE GENERATED USING THE 3 x 3 DATA SET.
- THE DATA DEPICTED ON THIS MAP SHOULD NOT BE USED FOR VOLUME CALCULATION PURPOSES.
- AERIAL IMAGERY PROVIDED BY NJOGIS (2020) AND IS FOR ORIENTATION PURPOSES ONLY.
- THIS SURVEY WAS PERFORMED USING REAL TIME KINEMATIC GPS FROM STATION "CAVEN POINT".

SANDY HOOK CHANNEL
NEW YORK LARBOR

CONDITION SURVEY

VH-105

5 OF 9

APPROVED:	P. KEARNS	FIELD CARTOGRAPHER	
APPROVED:	M. FORTE	CIVIL ENGINEERING TECHNICIAN	
APPROVED:	P. BHADUR	CHIEF OF SURVEY SUPPORT SECTION	
DATE:	1 MAY 2023	IDENTITY CHIEF OF SURVEYS AND MAPPING BRANCH	

DEPARTMENT OF THE ARMY
U.S. ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT
NEW YORK, NEW YORK 10278

OPERATIONS DIVISION
SURVEYS AND MAPPING BRANCH
CENAN-OP--SS

SCALE:
ONE INCH = 200 FEET


FIELD BOOKS:
N/A

DATES OF SURVEY:
13-17-20, APRIL 2023
24-25, APRIL 2023

REC. NO./FILE NO.: 5295/D/2/N3

		PR	FA/HSE/CM
		MP	CB


US ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT



PROJECT SPECIFIC NOTES:

- THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS THE GENERAL CONDITIONS EXISTING AT THAT TIME.
- THE SOUNDINGS ON THIS MAP MEET EM 1110-2-1003 ACCURACY STANDARDS.
- THIS MAP IS CEPD COMPLIANT IN ACCORDANCE WITH ER 1110-2-8160 AND EM 1110-2-6056.
- COORDINATES REFER TO US STATE PLANE COORDINATE SYSTEM NAD 1983, NEW JERSEY MERCATOR - ZONE 2900, US SURVEY FEET.
- SOUNDINGS ON THIS MAP REFER TO THE PLANE OF MEAN LOWER LOW WATER (MLLW) [EPOCH 1983-2001].
- MEAN LOWER LOW WATER IS 2.7-2.9 FEET BELOW NAVD88 AS DETERMINED USING VDATUM (VER. 4.3).
- SOUNDINGS DEPICTED ON THIS MAP ARE BASED ON A 3' x 3' MEDIAN CELL, SORTED TO A 45' INTERVAL.
- CONTOURS ON THIS MAP WERE GENERATED USING THE 3 x 3 DATA SET.
- THE DATA DEPICTED ON THIS MAP SHOULD NOT BE USED FOR VOLUME CALCULATION PURPOSES.
- AERIAL IMAGERY PROVIDED BY NJOGIS (2020) AND IS FOR ORIENTATION PURPOSES ONLY.
- THIS SURVEY WAS PERFORMED USING REAL TIME KINEMATIC GPS FROM STATION "CAVEN POINT".

LOCAL CONTROL DATA	NSRS BENCHMARK
BENCHMARK: SIMPSON 2 RM 3 (PID:KV0707)	BENCHMARK: SIMPSON 2 (PID:KV0709)
ELEVATION: 6.85' (NAVD 1988)	ELEVATION: 6.92' (NAVD 1988)




PR	FA/JHS/CM	CB
PR	FA/JHS/CM	CB


DATES OF SURVEY: 13-17-20 APRIL 2023 24-25 APRIL 2023	SCALE: ONE INCH = 200 FEET	FIELD BOOKS: N/A
REQ. NO./FILE NO.: 15995/D/N2/M3		



APPROVED: P. KEARNS FIELD CARTOGRAPHER	APPROVED: M. FORTE CHIEF ENGINEERING TECHNICIAN	APPROVED: P. BLADIER CHIEF OF SURVEY SUPPORT SECTION	APPROVED: J. MGAZ DEPUTY CHIEF OF SURVEYS AND MAPPING BRANCH	DATE: 1 MAY 2023
DEPARTMENT OF THE ARMY U.S. ARMY CORPS OF ENGINEERS NEW YORK DISTRICT NEW YORK, NEW YORK 10278	OPERATIONS DIVISION SURVEYS AND MAPPING BRANCH CENAN-OP-SS			

SANDY HOOK CHANNEL NEW YORK HARBOR CONDITION SURVEY

VH-106
6 OF 9







PR	FA/JHS/CM
MP	CB

DATES OF SURVEY:	13, 17-20, APRIL 2023
FILE BOOKS:	24-25 APRIL 2023
REQ. NO./FILE NO.:	5185/D/N2/M3

SCALE:	ONE INCH = 200 FEET
FILE BOOKS:	N/A

APPROVED:	P. KEARNS	FIELD CARTOGRAPHER
APPROVED:	M. FORTE	CHIEF ENGINEERING TECHNICIAN
APPROVED:	P. BLAUG	CHIEF OF SURVEY SUPPORT SECTION
APPROVED:	JL MGAZ	DEPUTY CHIEF OF SURVEY AND MAPPING BRANCH
DATE:	1 MAY 2023	

DEPARTMENT OF THE ARMY	U.S. ARMY CORPS OF ENGINEERS
NEW YORK DISTRICT	NEW YORK - NEW YORK 10278
OPERATIONS DIVISION	SURVEYS AND MAPPING BRANCH
CENAN-OP-SS	

SANDY HOOK CHANNEL	NEW YORK HARBOR
CONDITION SURVEY	

VH-109
9 OF 9

PROJECT SPECIFIC NOTES:

- THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS THE GENERAL CONDITIONS EXISTING AT THAT TIME.
- THE SOUNDINGS ON THIS MAP MEET EM 1110-2-1003 ACCURACY STANDARDS.
- THIS MAP IS CEPD COMPLIANT IN ACCORDANCE WITH ER 1110-2-8160 AND EM 1110-2-6056.
- COORDINATES REFER TO US STATE PLANE COORDINATE SYSTEM NAD 1983, NEW JERSEY MERCATOR - ZONE 2900, US SURVEY FEET.
- SOUNDINGS ON THIS MAP REFER TO THE PLANE OF MEAN LOWER LOW WATER (MLLW) [EPOCH 1983-2001]
- MEAN LOWER LOW WATER IS 2.7-2.9 FEET BELOW NAVD88 AS DETERMINED USING VDATUM (VER. 4.3).
- SOUNDINGS DEPICTED ON THIS MAP ARE BASED ON A 3' x 3' MEDIAN CELL, SORTED TO A 45° INTERVAL.
- CONTOURS ON THIS MAP WERE GENERATED USING THE 3 x 3 DATA SET.
- THE DATA DEPICTED ON THIS MAP SHOULD NOT BE USED FOR VOLUME CALCULATION PURPOSES.
- AERIAL IMAGERY PROVIDED BY NJOGIS (2020) AND IS FOR ORIENTATION PURPOSES ONLY.
- THIS SURVEY WAS PERFORMED USING REAL TIME KINEMATIC GPS FROM STATION "CAVEN POINT".