DEPARTMENT OF THE ARMY
U.S. ARMY CORPS OF ENGINEERS, NEW YORK DISTRICT
JACOB K. JAVITS FEDERAL BUILDING
26 FEDERAL PLAZA
NEW YORK NEW YORK 10278-0090

April 22, 2020

Ms. Bonney Hartley
Stockbridge-Munsee Community
THPO-New York Office
65 1st Street
Troy, NY 12180

Dear Ms. Hartley:

The U.S. Army Corps of Engineers, New York District (District) and the New York State Department of Environmental Conservation (NYSDEC) are preparing to release the Final Hudson River Habitat Restoration (HRHR) Integrated Feasibility Report and Environmental Assessment. The District has been working to advance the design of the Tentatively Selected Plan (TSP), which is now being referred to as the Recommended Plan. The Recommended Plan consists of restoration measures at Henry Hudson Park, Schodack Island State Park, and Moodna Creek (Enclosure 1 – Project Plans). Please note that, following additional analysis, two sites have been removed from the project, these are Binnen Kill and Rondout Creek. The measures proposed at the remaining three sites have not changed.

In 2019, the District prepared a report, entitled *Preliminary Historical and Archaeological Assessment for the Hudson River Habitat Restoration Project, Hudson River Basin, New York,* which looked at the proposed alternatives at each of the six sites to identify potential adverse effects to cultural resources. That report, along with a draft Programmatic Agreement, was submitted to your office in March of 2019 for comment in accordance with NEPA, Section 106 of the National Historic Preservation Act, and the Advisory Council on Historic Preservation Guidelines for the Protection of Cultural and Historic Properties (36 CFR Part 800). The report and draft PA were also provided to the Saint Regis Mohawk Tribe, the Delaware Tribe of Indians, the Delaware Nation, and the New York State Historic Preservation Office for review and comment. The report and draft PA were also made available to the public for comment as part of the NEPA review of the draft feasibility report in June of 2019. The PA has been updated to include the Recommended Plan and to incorporate any comments received (Enclosure 2 – Programmatic Agreement). This revised draft is being provided once again for review and comment prior to execution of the agreement.

Thank you for your interest in this project. The District is in receipt of your email dated April 11, 2019 (Enclosure 3). The District will notify your office of any inadvertent discoveries during the implementation of this project. Please review the final PA and provide any additional comments within 30 days of receipt of this letter.

If you require additional information or have any questions, please contact Ms. Carissa Scarpa at (917) 790-8612. Thank you for your assistance with this project.

Sincerely,

WEPPLER.PETER.M.1228647353 Digitally signed by WEPPLER.PETER.M.1228647353 Date: 2020.04.22 15:16:09 -04'00'

Peter M. Weppler
Chief, Environmental Analysis Branch

Enclosures