

US ARMY CORPS OF ENGINEERS NEW YORK DISTRICT

Table with 2 columns: No., Description. Contains project details and revision notes.



DATES OF SURVEY: 24 JUN. 2015. FIELD BOOKS: ...

SCALE: ONE INCH = 100 FEET. APPROVED: ...


APPROVED: ... APPROVED: ... APPROVED: ...

DEPARTMENT OF THE ARMY NEW YORK DISTRICT NEW YORK, NEW YORK 10278

NORTHPORT HARBOR NEW YORK CONDITION SURVEY

VH-102 SHEET 2 OF 3

FILE NO.: REG NO.:



NOTE: THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED. AND CAN ONLY BE CONSIDERED CONDITIONS EXISTING AT THAT TIME. COORDINATES REFER TO THE LONG ISLAND LAMBERT SYSTEM (NAD 1983). SOUNDINGS REFER TO THE PLANE OF MEAN LOWER LOW WATER. THE PLANE OF MEAN LOWER LOW WATER RANGES FROM 3.85 - 3.97 FEET BELOW NAVD 1988 BASED ON THE NOAA DATUM MODEL. THE SOUNDING DATA DEPICTED ON THIS MAP WAS COLLECTED USING PROJECT CLASSIFICATION - GENERAL, AS DEFINED IN EM 1110-2-1003. THE DATA ON THIS MAP IS REPRESENTATIVE OF A LARGER DATA SET. THE PLANIMETRICS SHOWN ON THIS MAP ARE FOR ORIENTATION PURPOSES ONLY. THIS SURVEY WAS PERFORMED USING RTK GPS FROM THE KEYSTONE PRECISION VRS NETWORK. THE LOCATIONS OF BRIDGES, PIERS, ABUTMENTS & OBSTRUCTIONS WAS OBTAINED FROM A SCALED AND ROTATED AERIAL PHOTO THEN DIGITIZED TO REPRESENT THEIR APPROXIMATE LOCATIONS. THIS MAP IS CEPD COMPLIANT AND IN ACCORDANCE WITH ER 1110-2-8160 AND EM 1110-2-8056. SINGLE-BEAM SOUNDINGS WAS SORTED 15 FT RADIUS WITH PRIORITY.

Table with 2 columns: NSRS BENCHMARK, LOCAL CONTROL DATA. Contains benchmark IDs and elevations.

