

Table 3
Area F Confirmation
SVOC Results

Compound	NYDEC RSCO (mg/kg)	EX-F-1	EX-F-2	EX-F-3	EX-F-4	EX-F-5	EX-F-6	EX-F-7	EX-F-8
		9/23/2005	9/23/2005	9/23/2005	9/23/2005	9/23/2005	9/23/2005	9/23/2005	9/23/2005
2,4,5-Trichlorophenol	0.1-ADL	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
2,4-Dichlorophenol	0.4	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
2,4-Dinitrophenol	0.200	<0.760	<0.760	<0.910	<0.780	<0.750	<0.790	<0.780	<0.750
2,6-Dinitrotoluene	1.0	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
2-Chlorophenol	0.8	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
2-Methylnaphthalene	36.4	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
2-Nitroaniline	0.430	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
2-Nitrophenol	0.330	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
2-methylphenol	0.100-ADL	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
3-Nitroaniline	0.500	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
4-Chloroaniline	0.220-ADL	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
4-Nitroaniline	NS	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
4-Nitrophenol	0.100-ADL	<0.760	<0.760	<0.910	<0.780	<0.750	<0.790	<0.780	<0.750
4-chloro-3-methylphenol	0.240-ADL	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
4-methylphenol	0.9	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Acenaphthene	50.0	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Acenaphthylene	41.0	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Aniline	0.1-ADL	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Anthracene	50.0	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Benzo(a) anthracene	0.224-ADL	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Benzo(a) pyrene	0.061-ADL	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Benzo(b) fluoranthene	1.1	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
BenzyI. Butyl Phthalate	50.0	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Chrysene	0.4	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Dibenz(a,h) Anthracene	0.014-ADL	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Dibenzofuran	6.2	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Diethyl Phthalate	7.1	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Dimethyl Phthalate	2.0	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Fluoranthene	50.0	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Fluorene	50.0	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Hexachlorobenzene	0.41	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Indeno(1,2,3-c,d) Pyrene	3.2	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Isophorone	4.40	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Naphthalene	13.0	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Nitrobenzene	0.200-ADL	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Pentachlorophenol	1.0	<0.760	<0.760	<0.910	<0.780	<0.750	<0.790	<0.780	<0.750
Phenanthrene	50.0	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Phenol	0.03-ADL	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
Pyrene	50	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
bis(2-ethylhexyl) phthalate	50.0	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
di-n-Butyl Phthalate	8.1	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370
di-n-Octyl Phthalate	50.0	<0.380	<0.380	<0.460	<0.390	<0.370	<0.400	<0.390	<0.370

Table 3
Area F Confirmation
SVOC Results

Compound	NYDEC RSCO (mg/kg)	EX-F-9		EX-F-10		EX-F-11		EX-F-12		EX-F-13	
		9/23/2005	<0.410	9/23/2005	<0.400	9/23/2005	<0.410	9/23/2005	<0.400	9/23/2005	<0.390
2,4,5-Trichlorophenol	0.1-ADL	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
2,4-Dichlorophenol	0.4	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
2,4-Dinitrophenol	0.200	<0.820	<0.790	<0.810	<0.790	<0.810	<0.790	<0.810	<0.790	<0.780	
2,6-Dinitrotoluene	1.0	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
2-Chlorophenol	0.8	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
2-Methylnaphthalene	36.4	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
2-Nitroaniline	0.430	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
2-Nitrophenol	0.330	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
2-methylphenol	0.100-ADL	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
3-Nitroaniline	0.500	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
4-Chloroaniline	0.220-ADL	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
4-Nitroaniline	NS	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
4-Nitrophenol	0.100-ADL	<0.820	<0.790	<0.810	<0.790	<0.810	<0.790	<0.810	<0.790	<0.780	
4-chloro-3-methylphenol	0.240-ADL	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
4-methylphenol	0.9	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Acenaphthene	50.0	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Acenaphthylene	41.0	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Aniline	0.1-ADL	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Anthracene	50.0	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Benzo(a) anthracene	0.224-ADL	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Benzo(a) pyrene	0.061-ADL	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Benzo(b) fluoranthene	1.1	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Benzyl Butyl Phthalate	50.0	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Chrysene	0.4	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Dibenz(a,h) Anthracene	0.014-ADL	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Dibenzofuran	6.2	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Diethyl Phthalate	7.1	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Dimethyl Phthalate	2.0	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Fluoranthene	50.0	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Fluorene	50.0	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Hexachlorobenzene	0.41	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Indeno(1,2,3-c,d) Pyrene	3.2	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Isophorone	4.40	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Naphthalene	13.0	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Nitrobenzene	0.200-ADL	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Pentachlorophenol	1.0	<0.820	<0.790	<0.810	<0.790	<0.810	<0.790	<0.810	<0.790	<0.780	
Phenanthrene	50.0	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Phenol	0.03-ADL	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
Pyrene	50	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
bis(2-ethylhexyl) phthalate	50.0	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	220	
di-n-Butyl Phthalate	8.1	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	
di-n-Octyl Phthalate	50.0	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.410	<0.400	<0.390	