

Table 4
Area F Confirmation
VOC Results

Compound	NYDEC RSC0 (mg/kg)								
	EX-F-1 9/23/2005	EX-F-2 9/23/2005	EX-F-3 9/23/2005	EX-F-4 9/23/2005	EX-F-5 9/23/2005	EX-F-6 9/23/2005	EX-F-7 9/23/2005	EX-F-8 9/23/2005	EX-F-9 9/23/2005
1,1,1-Trichloroethane	0.8	<0.0065	<0.0062	<0.0060	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
1,1,2,2-Tetrachloroethane	0.6	<0.0065	<0.0062	<0.0060	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
1,1,2-Trichloroethane	NS	<0.0065	<0.0062	<0.0060	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
1,1-Dichloroethane	0.2	<0.0065	<0.0062	<0.0060	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
1,2-Dichlorobenzene	7.9	<0.0065	<0.0062	<0.0060	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
1,3-Dichlorobenzene	1.6	<0.0065	<0.0062	<0.0060	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
1,4-Dichlorobenzene	8.5	<0.0065	<0.0062	<0.0060	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
<i>trans</i> -1,2-Dichloroethene	0.3	<0.0065	<0.0062	<0.0060	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
2-Butanone (MEK)	0.3	<0.013	<0.012	<0.012	<0.011	<0.011	<0.012	<0.0094	<0.012
4-Methyl-2-Pentanone (MIBK)	1	<0.013	<0.012	<0.012	<0.011	<0.011	<0.012	<0.0094	<0.012
Acetone	0.2	0.011-J	0.016	0.039	0.015	0.023	0.021	0.0092-J	0.021
Benzene	0.06	<0.0065	<0.0062	0.0032-J	<0.0056	<0.0057	0.0032-J	<0.0047	<0.0058
Bromomethane	NS	<0.013	<0.012	0.0023-J	0.0019-J	<0.011	<0.012	<0.0094	<0.012
Carbon Disulfide	2.7	<0.0065	<0.0062	0.015	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
Carbon Tetrachloride	0.6	<0.0065	<0.0062	<0.0060	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
Chlorobenzene	1.7	<0.0065	<0.0062	<0.0060	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
Chloroethane	1.9	<0.013	<0.012	<0.012	<0.011	<0.011	<0.012	<0.0094	<0.012
Chloroform	0.3	<0.0065	0.0038-J	<0.0060	<0.0056	<0.011	<0.012	<0.0094	<0.012
Chloromethane	NS	0.0032-J	0.0035-J	<0.0060	<0.0056	0.0036-J	<0.0058	<0.0047	0.0040-J
Dibromochloromethane	NS	<0.0065	0.0058-J	<0.0060	0.0033-J	0.0054-J	<0.012	0.0029-J	0.0050-J
Ethylbenzene	5.5	<0.0065	<0.0062	<0.0060	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
Freon 113	6	<0.0065	<0.0062	0.0050-J	<0.0056	<0.0057	0.0033-J	<0.0047	<0.0058
Methylene Chloride	0.1	<0.0065	<0.0062	<0.0060	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
Styrene	NS	<0.0065	0.0022-J	<0.012	0.0013-J	0.0016-J	0.0027-J	<0.0094	0.0016-J
Tetrachloroethene	1.4	<0.0065	<0.0062	<0.0060	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
Toluene	1.5	<0.0065	<0.0062	0.0018	<0.0056	<0.0057	0.014	<0.0047	<0.0058
Trichloroethene	0.7	<0.0065	<0.0062	<0.0060	<0.0056	<0.0057	<0.0058	<0.0047	<0.0058
Vinyl Chloride	0.2	<0.013	<0.012	<0.012	<0.011	<0.011	<0.012	<0.0094	<0.012
Xylenes	1.2	<0.0065	<0.0062	0.023	<0.0056	<0.0057	0.0094	<0.0047	<0.0058

Table 4
Area F Confirmation
VOC Results

Compound	NYDEC RSCO (mg/kg)									
	9/23/2005	EX-F-10	EX-F-11	EX-F-12	EX-F-13	EX-F-14	EX-F-15	EX-F-16	EX-F-17	EX-F-18
1,1,1-Trichloroethane	0.8	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
1,1,2,2-Tetrachloroethane	0.6	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
1,1,2-Trichloroethane	NS	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
1,1-Dichloroethane	0.2	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
1,2-Dichlorobenzene	7.9	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
1,3-Dichlorobenzene	1.6	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
1,4-Dichlorobenzene	8.5	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
trans-1,2 Dichloroethene	0.3	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
2-Butanone (MEK)	0.3	<0.012	<0.013	<0.013	<0.012	<0.010	<0.010	<0.010	<0.010	<0.010
4-Methyl-2-Pentanone (MIBK)	1	<0.012	<0.013	<0.013	<0.012	<0.010	<0.010	<0.010	<0.010	<0.010
Acetone	0.2	0.014	<0.013	<0.013	0.015	<0.010	0.014	<0.010	<0.010	<0.010
Benzene	0.06	<0.0059	<0.0064	0.0022-J	0.004	<0.005	<0.005	<0.005	<0.005	<0.005
Bromomethane	NS	<0.012	<0.013	<0.013	<0.0058	<0.010	<0.010	<0.010	<0.010	<0.010
Carbon Disulfide	2.7	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
Carbon Tetrachloride	0.6	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
Chlorobenzene	1.7	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
Chloroethane	1.9	<0.012	<0.013	<0.013	<0.012	<0.010	<0.010	<0.010	<0.010	<0.010
Chloroform	0.3	0.0044-J	0.0045-J	0.0035-J	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
Chloromethane	NS	<0.012	<0.013	<0.013	<0.012	<0.010	<0.010	<0.010	<0.010	<0.010
Dibromochloromethane	NS	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
Ethylbenzene	5.5	<0.0059	0.0014-J	0.0023-J	0.0041	<0.005	<0.005	<0.005	<0.005	<0.005
Freon 113	6	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
Methylene Chloride	0.1	0.0025-J	0.0016-J	<0.013	<0.012	<0.005	<0.005	<0.005	<0.005	<0.005
Styrene	NS	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
Tetrachloroethene	1.4	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
Toluene	1.5	<0.0059	<0.0064	<0.0063	0.24	<0.005	<0.005	<0.005	<0.005	<0.005
Trichloroethene	0.7	<0.0059	<0.0064	<0.0063	<0.0058	<0.005	<0.005	<0.005	<0.005	<0.005
Vinyl Chloride	0.2	<0.012	<0.013	<0.013	<0.012	<0.010	<0.010	<0.010	<0.010	<0.010
Xylenes	1.2	<0.0059	<0.0064	0.009	0.26	<0.005	<0.005	<0.005	<0.005	<0.005

Table 4
Area F Confirmation
VOC Results

Compound	NYDEC RSCO (mg/kg)						Duplicate#2
	EX-F-19 11/9/2005	EX-F-20 11/9/2005	EX-F-21 11/9/2005	EX-F-22 11/9/2005	EX-F-23 11/9/2005	EX-F-24 11/9/2005	
1,1,1-Trichloroethane	0.8	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
1,1,2,2-Tetrachloroethane	0.6	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
1,1,2-Trichloroethane	NS	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
1,1-Dichloroethane	0.2	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
1,2-Dichlorobenzene	7.9	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
1,3-Dichlorobenzene	1.6	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
1,4-Dichlorobenzene	8.5	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
<i>trans</i> -1,2 Dichloroethene	0.3	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
2-Butanone (MEK)	0.3	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
4-Methyl-2-Pentanone (MIBK)	1	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Acetone	0.2	0.031	0.011	0.017	0.013	0.010	<0.010
Benzene	0.06	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Bromomethane	NS	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Carbon Disulfide	2.7	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Carbon Tetrachloride	0.6	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Chlorobenzene	1.7	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Chloroethane	1.9	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Chloroform	0.3	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Chloromethane	NS	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Dibromochloromethane	NS	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Ethylbenzene	5.5	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Freon 113	6	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Methylene Chloride	0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Styrene	NS	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Tetrachloroethene	1.4	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Toluene	1.5	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Trichloroethene	0.7	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Vinyl Chloride	0.2	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Xylenes	1.2	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005