

Table 15  
Area D Confirmation  
SVOC Results

Compound	NYDEC RSCO (mg/kg)	EX-D-1 11/2/2005	EX-D-2 11/2/2005	EX-D-3 11/2/2005	EX-D-4 11/2/2005	EX-D-5 11/2/2005	EX-D-6 11/2/2005	EX-D-7 11/2/2005	EX-D-8 11/2/2005	EX-D-9 11/2/2005
2,4,5-Trichlorophenol	0.1-ADL	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
2,4-Dichlorophenol	0.4	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
2,4-Dinitrophenol	0.200-ADL	<0.780	<0.790	<0.770	<0.750	<0.790	<0.800	<0.810	<0.820	<0.790
2,6-Dinitrotoluene	1.0	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
2-Chlorophenol	0.8	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
2-Methylnaphthalene	36.4	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
2-Nitroaniline	0.430	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
2-Nitrophenol	0.330	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
2-methyphenol	0.100-ADL	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
3-Nitroaniline	0.500	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
4-Chloroaniline	0.220-ADL	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
4-Nitroaniline	NS	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
4-Nitrophenol	0.100-ADL	<0.780	<0.790	<0.770	<0.750	<0.790	<0.800	<0.810	<0.820	<0.790
4-chloro-3-methylphenol	0.240-ADL	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
4-methylphenol	0.9	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Acenaphthene	50.0	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Acenaphthylene	41.0	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Aniline	0.1-ADL	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Anthracene	50.0	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Benzo(a) anthracene	0.224-ADL	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Benzo(a) pyrene	0.061-ADL	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Benzo(b) fluoranthene	1.1	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Benzo(k) fluoranthene	1.1	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Benzo(l) Butyl Phthalate	50.0	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Chrysene	0.4	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Dibenz(a,h) Anthracene	0.014-ADL	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Dibenzofuran	6.2	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Diethyl Phthalate	7.1	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Dimethyl Phthalate	2.0	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Fluoranthene	50.0	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Fluorene	50.0	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Hexachlorobenzene	0.41	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Indeno(1,2,3-c,d) Pyrene	3.2	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Isophorone	4.40	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Naphthalene	13.0	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Nitrobenzene	0.200-ADL	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Pentachlorophenol	1.0	<0.780	<0.790	<0.770	<0.750	<0.790	<0.800	<0.810	<0.820	<0.790
Phenanthrene	50.0	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Phenol	0.03-ADL	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
Pyrene	50	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
bis(2-ethylhexyl) phthalate	50.0	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
di-n-Butyl Phthalate	8.1	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390
di-n-Octyl Phthalate	50.0	<0.390	<0.390	<0.380	<0.370	<0.400	<0.400	<0.410	<0.410	<0.390

Table 15  
Area D Confirmation  
SVOC Results

Compound	NYDEC RSCO (mg/kg)	EX-D-10	EX-D-11	EX-D-12	EX-D-13	EX-D-14	EX-D-15	EX-D-16	EX-D-17	EX-D-18
		11/2/2005	11/2/2005	11/2/2005	11/2/2005	11/2/2005	11/2/2005	11/2/2005	11/2/2005	11/2/2005
2,4,5-Trichlorophenol	0.1-ADL	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
2,4-Dichlorophenol	0.4	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
2,4-Dinitrophenol	0.200-ADL	<0.810	<0.790	<0.770	<0.390	<1.2	<0.760	<0.750	<0.740	<0.760
2,6-Dinitrotoluene	1.0	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
2-Chlorophenol	0.8	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
2-Methylnaphthalene	36.4	<0.410	<0.400	0.310-J	<0.390	<0.580	<0.380	<0.380	<0.370	0.120-J
2-Nitroaniline	0.430	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
2-Nitrophenol	0.330	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
2-methylphenol	0.100-ADL	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
3-Nitroaniline	0.500	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
4-Chloroaniline	0.220-ADL	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
4-Nitroaniline	NS	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
4-Nitrophenol	0.100-ADL	<0.810	<0.790	<0.770	<0.390	<1.2	<0.760	<0.750	<0.740	<0.760
4-chloro-3-methylphenol	0.240-ADL	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
4-methylphenol	0.9	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Acenaphthene	50.0	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Acenaphthylene	41.0	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Aniline	0.1-ADL	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Anthracene	50.0	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Benzo(a) anthracene	0.224-ADL	<0.410	<0.400	0.051-J	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Benzo(a) pyrene	0.061-ADL	<0.410	<0.400	0.041-J	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Benzo(b) fluoranthene	1.1	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Benzyl Butyl Phthalate	50.0	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Chrysene	0.4	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Dibenz(a,h) Anthracene	0.014-ADL	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Dibenzofuran	6.2	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Diethyl Phthalate	7.1	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Dimethyl Phthalate	2.0	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Fluoranthene	50.0	<0.410	<0.400	0.062-J	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Fluorene	50.0	<0.410	<0.400	0.037-J	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Hexachlorobenzene	0.41	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Indeno(1,2,3-c,d) Pyrene	3.2	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Isophorone	4.40	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Naphthalene	13.0	<0.410	<0.400	1.2	<0.390	<0.580	<0.380	<0.380	<0.370	0.067-J
Nitrobenzene	0.200-ADL	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	0.46
Pentachlorophenol	1.0	<0.810	<0.790	<0.770	<0.390	<1.2	<0.760	<0.750	<0.740	<0.760
Phenanthrene	50.0	<0.410	<0.400	0.240-J	<0.390	<0.580	0.053-J	<0.380	<0.370	0.130-J
Phenol	0.03-ADL	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
Pyrene	50	<0.410	<0.400	0.085-J	<0.390	<0.580	0.067-J	<0.380	<0.370	0.044-J
bis(2-ethylhexyl) phthalate	50.0	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
di-n-Butyl Phthalate	8.1	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380
di-n-Octyl Phthalate	50.0	<0.410	<0.400	<0.390	<0.390	<0.580	<0.380	<0.380	<0.370	<0.380

Table 15  
Area D Confirmation  
SVOC Results

Compound	NYDEC RSCO (mg/kg)	EX-D-19		EX-D-20		EX-D-21		EX-D-22	
		11/2/2005	11/2/2005	11/2/2005	11/2/2005	11/2/2005	11/2/2005	11/2/2005	11/2/2005
2,4,5-Trichlorophenol	0.1-ADL	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
2,4-Dichlorophenol	0.4	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
2,4-Dinitrophenol	0.200-ADL	<0.760	<0.840	<0.840	<0.770	<0.750	<0.820	<0.750	<0.820
2,6-Dinitrotoluene	1.0	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
2-Chlorophenol	0.8	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
2-Methylnaphthalene	36.4	<0.380	0.052-J	<0.420	<0.380	0.091-J	0.044-J	<0.370	<0.410
2-Nitroaniline	0.430	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
2-Nitrophenol	0.330	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
2-methylphenol	0.100-ADL	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
3-Nitroaniline	0.500	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
4-Chloroaniline	0.220-ADL	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
4-Nitroaniline	NS	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
4-Nitrophenol	0.100-ADL	<0.760	<0.840	<0.840	<0.770	<0.750	<0.820	<0.750	<0.820
4-chloro-3-methylphenol	0.240-ADL	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
4-methylphenol	0.9	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Acenaphthene	50.0	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Acenaphthylene	41.0	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Aniline	0.1-ADL	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Anthracene	50.0	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Benzo(a) anthracene	0.224-ADL	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Benzo(a) pyrene	0.061-ADL	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Benzo(b) fluoranthene	1.1	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Benzyl Butyl Phthalate	50.0	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Chrysene	0.4	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Dibenz(a,h) Anthracene	0.014-ADL	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Dibenzofuran	6.2	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Diethyl Phthalate	7.1	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Dimethyl Phthalate	2.0	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Fluoranthene	50.0	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Fluorene	50.0	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Hexachlorobenzene	0.41	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Indeno(1,2,3-c,d) Pyrene	3.2	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Isophorone	4.40	<0.380	0.051-J	<0.420	<0.380	0.076-J	0.043-J	0.58	0.220-J
Naphthalene	13.0	0.087-J	0.270-J	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Nitrobenzene	0.200-ADL	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Pentachlorophenol	1.0	<0.760	<0.840	<0.840	<0.770	<0.750	<0.820	<0.750	<0.820
Phenanthrene	50.0	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Phenol	0.03-ADL	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
Pyrene	50	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
bis(2-ethylhexyl) phthalate	50.0	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
di-n-Butyl Phthalate	8.1	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410
di-n-Octyl Phthalate	50.0	<0.380	<0.420	<0.420	<0.380	<0.370	<0.410	<0.370	<0.410