

MITIGATION & ECOLOGICAL SERVICES



HWY 26 Mitigation Site Black River Service Area Ducks Unlimited In-Lieu Fee Program

To be considered by: United States Army Corps of Engineers Interagency Review Team Chairs Buffalo District Orwell Field Office 33 Grand Valley Ave Orwell, OH 44076

New York District 1 Buffington Street, Watervliet Arsenal ATTN: CENAN-OP-RU, Bldg. 10, Watervliet, NY 12189-4000

March 31, 2016



Ducks Unlimited: Great Lakes / Atlantic Regional Office 1220 Eisenhower Place, Ann Arbor, MI 48108

TABLE OF CONTENTS

SECTION/TITLE	Page
0.0 INTRODUCTION	1
1.0 GOALS AND OBJECTIVES	1
2.0 MITIGATION SITE SELECTION	2
3.0 BASELINE INFORMATION	3
4.0 MITIGATION WORK PLAN	6
4.1 CONSTRUCTION AND PLANNED HYDROLOGY	6
4.2 PLANNED VEGETATION AND HABITAT FEATURES	7
5.0 PERFOMANCE AND SUCCESS STANDARDS	11
6.0 CREDIT DETERMINATION	13
7.0 MITIGATION SITE PROTECTION	14
8.0 MONITORING	14
9.0 MAINTENANCE AND ADAPTIVE MANAGEMENT PLAN	15
10.0 LONG-TERM STEWARDSHIP PLAN	16
11.0 FINANCIAL ASSURANCES	16
References	
Appendix A – Summary of Impacts	
Appendix B – Baseline Information	
Appendix C – Cultural Resources	
Appendix D – Wildlife Usage	
Appendix E – Preliminary Wetland Delineation	
Appendix F – Mitigation Work Plan	
Appendix G – Mitigation Site Protection Instruments	
Appendix H - Monitoring	



0.0 INTRODUCTION

Ducks Unlimited, Inc. (DU) established the Ducks Unlimited, Inc. New York In-Lieu Fee Program (DU-NY ILF Program) to provide a third party compensatory mitigation option to permit applicants under the permit programs of the U.S. Army Corps of Engineers (USACE) and the New York State Department of Environmental Conservation (NYSDEC). The DU-NY ILF Program has sold 3.42 credits to permit applicants to compensate for wetland impacts in the Black River sub-basin (HUC 04150101). Credits were purchased to compensate for impacts to 3.072 acres of wetlands in the Black River sub-basin (Appendix A).

DU identified and evaluated an extensive list of potential mitigation sites in coordination with State, Federal and other NGO partners. The Highway 26 site (hereinafter Mitigation Site) was selected as having the highest opportunity for restoration and meaningful preservation based on location, size, likelihood of success, and types of existing and potential aquatic resources. The following mitigation plan has been prepared and will be implemented by DU in accordance with 33 CFR 332.4, the "U.S. Army Corps of Engineers New York District Compensatory Mitigation Guidelines" and the "Guidelines for Mitigation Banking in Ohio" (currently used by the U.S. Army Corps of Engineers Buffalo District).

1.0 GOALS AND OBJECTIVES

The overall goal of this compensatory wetland mitigation plan is to generate 38.72 credits in the Black River Service Area. The functions and values that will be realized by this proposed wetland mitigation plan aim to replace, at a minimum, the functions and values of the wetlands impacted. These functions and values include groundwater recharge/discharge, floodflow alteration, sediment retention, nutrient removal and wildlife habitat.

The wetland mitigation plan will take into consideration the priority issues and recommendations set forth by the New York State Wildlife Action Plan and the Black River Watershed Management Plan. These priority issues include habitat loss and fragmentation, degraded water quality, partnerships, invasive species control, and planning and land use.

Most of the Mitigation Site is classified farmland of statewide importance. Given the size, cost, and location of the property, it is expected the Mitigation Site would be attractive to buyers looking for agricultural land. The Mitigation Site is adjacent to agricultural land, therefore present and ongoing agricultural land use is a threat to the Mitigation Site's conservation value. The Mitigation Site is located in the Sugar River sub-watershed (HUC 041501010303), which has 43.6% of its land use in agriculture.

The history of agricultural activity in the Black River sub-basin has negatively affected water quality. Nutrients, sediment and pollutants enter streams in the watershed due to agricultural runoff. The Mitigation Site is located in the Sugar River sub-watershed, which has the highest total phosphorus loads and second-highest total nitrogen loads in the Black River sub-basin (Bergman Associated, 2010). The Mitigation Site includes a stream on the New York 303(d) Listed Waters for Reporting Year 2012 (e.g. Waterbody ID: NY-0801-0231) (Environmental Protection Agency, 2012) (Appendix B, Fig. 7), that has aquatic life stressed due to nutrients from agriculture.

Ducks Unlimited, Inc.



Restoring wetlands at the Mitigation Site will improve water quality in the watershed by removing nutrients from surface flow.

This wetland mitigation plan will provide breeding and migration habitat for waterfowl species such as American black duck and wood duck. Other species that will benefit from this project include New York State Department of Conservation (NYSDEC) Species of Greatest Conservation Need (SGCN) such as American kestrel, scarlet tanager, bobolink and eastern meadowlark.

Palustrine mineral soil wetlands are the critical aquatic habitat supporting the greatest number of SGCN in the Northeast Lake Ontario basin. The NYSDEC recommends restoring degraded emergent marshes in the Northeast Lake Ontario basin. The objectives of the mitigation work plan are:

- Re-establish 32.2 acres of palustrine forested (PFO) wetlands
- Re-establish 6.3 acres of palustrine emergent (PEM) wetlands
- Re-establish 2.3 acres of palustrine scrub-shrub (PSS) wetlands
- Re-establish 6.1 acres of forested upland buffer
- Re-establish 2.5 acres of warm season grasses
- Preserve 7.3 acres of PSS wetlands
- Preserve 10.9 acres of upland buffer

2.0 MITIGATION SITE SELECTION

The mitigation site was selected for the following reasons:

- 1. It is in the Black River Service Area.
- 2. It has the hydric soils, adequate hydrology, and topography conducive to successful wetland restoration.
- 3. The site presents a cost-effective opportunity to create a greater amount of wetland habitat than the minimum required amount and with a high likelihood of success in replacing wetland functions lost at the impact sites.
- 4. Wetland mitigation at this site will realize positive impacts to a diversity of wildlife species and will not negatively impact known endangered or threatened plants or animals.
- 5. The site will not negatively impact cultural resources pending results from archaeological survey.
- 6. There are no logistical or design constraints at the site that would inhibit successful wetland re-establishment.
- 7. The site is under threat of continued agricultural use, residential development and commercial development.



3.0 BASELINE INFORMATION

Location

The Mitigation Site is located at Latitude: 43.530816° and Longitude: -75.468854° on the Corner of Highway 26 and Croniezer Rd. in the town of Constableville, Lewis County, New York in the Black River/Sugar River watershed (HUC 0415010103).

Site Information

The Mitigation Site encompasses 79.5 acres of privately owned land. The land composition of the Mitigation Site is detailed in Table 1 and illustrated in Appendix B, Fig. 12. The surrounding land use consists of agriculture, upland forests, and wetlands. The Mitigation Site was used for row crops and hay. Two streams runs through the Mitigation Site. There are no known hazardous material sites in the vicinity of the site. Topography of the Mitigation Site ranges from 518 m above sea level to 537 m above sea level (Appendix B, Fig. 3).

Land Type	Acres	<u>Percent</u>
Forested Wetlands	4.6	5.8
Upland Forests	16.6	20.9
Prairie/Pasture	55.5	69.8
Scrub/Shrub	1.5	1.9
Open Water	1.3	1.6
Total Acreage	79.5	100

Table 1. Land composition of Mitigation Site

Cultural Resources

A request for an environmental review of the Mitigation Site was submitted to New York's State Historic Preservation Office (SHPO). Based on the environmental review, the SHPO recommended a Phase I archaeological survey for the Mitigation Site (Appendix C). A request for proposals has been submitted to qualified archaeological consultants to perform the Phase I archaeological survey. The results of the Phase I archaeological survey will be submitted to the SHPO for review. Based on findings from the archaeological survey, the design plans will be modified to ensure no damage will occur on historic sites.

Wildlife Usage

According to the NYS Breeding Bird Atlas 2000 – 2005 survey, the site is in an area where several SGCN addressed in the NYSDEC's State Wildlife Action Plan (NYSDEC, 2015) were observed. These SGCN were American kestrel, blue-winged teal, Eastern meadowlark, scarlet



tanager and bobolink. Implementing the Mitigation Plan will benefit these SGCN by protecting and/or increasing their habitat. Implementing the Mitigation Plan will not negatively impact any of these SGCN.

According to the US Fish and Wildlife Service's (USFWS) Official Species List for the Mitigation Site (Appendix D), the northern long-eared bat may occur within the Mitigation Site's boundary. According to the NYSDEC, the northern long-eared bat's primary habitats include caves and tunnels, upland forests, and wetland forests (NYSDEC, 2015). The proposed wetland mitigation activities will have no effect on northern long-eared bat. Efforts will be made within the restoration area to improve northern long-eared bat habitat if possible.

Watershed

The Mitigation Site is in the Black River/Sugar River watershed (HUC 04150101040) located in the Black River sub-basin (HUC 04150101) (Appendix B, Fig. 1). The Mitigation Site includes tributaries of Sugar River.

The land use of the Black River sub-basin can be characterized as a mix of forests interspersed with wetlands and agricultural lands. Almost half of the watershed lies within the Adirondack Park. Habitat loss and fragmentation is a cause of concern in the watershed. There is a high concentration of agricultural land in the floodplains of the Black River valley. Floodplain wetlands were drained to be converted to agriculture. Grasslands and agricultural lands account for 12.8% of the area in the Black River sub-basin, while wetlands account for 17.4% of the area (United States Department of Agriculture – Natural Resources Conservation Service [USDA – NRCS], 2010).

Wetlands

According to the National Wetland Inventory (NWI), there are already wetlands present at the Mitigation Site (Appendix B, Fig. 5). The Mitigation Site supports PSS and PEM wetlands. The Mitigation site is within the vicinity of several regulatory freshwater wetlands. An on-site wetland delineation was unable to be performed due to time constraints. A preliminary wetland delineation was performed with GIS software (Appendix E, Fig. 1). The preliminary wetland delineation will be verified in the field during the growing season.

Hydrology

The primary inputs of water to the Mitigation Site are direct precipitation, surface water runoff and groundwater seepage.

According to the USDA – NRCS National Water and Climate Center, the Mitigation Site is in an area where the average annual precipitation is 55.7 inches. A conservative estimate of water loss due to evapotranspiration is 23.9 inches of water loss during the growing season (May – October). This estimate is based upon a field study conducted with reed canary grass (*Phalaris arundinacea*) in Iowa (Schilling and Kiniry, 2007). In an average year the Mitigation Site will have enough water from direct precipitation to overcome water loss from potential evapotranspiration by 31.8 inches.



In addition, a high water table will help the re-established/rehabilitated wetlands retain water and contribute to the Mitigation Site's hydrology.

The Mitigation Site drains an area of 258.4 acres including the footprint of the Mitigation Site (Appendix B, Fig. 9).

Vegetation

The open agricultural fields are primarily planted with vegetation used for hay. Depressions in the fields contain wetland vegetation including sedges (*Carex* spp.), willows (*Salix* spp.), and dogwoods (*Cornus* spp.). Some defined wetlands in the field consist of reed canary grass (*Phalaris arundinacea*), cattail (*Typha* spp.), and sedges. The northern part of the property consists of various shrubs and small trees. Characterization of the vegetation community will occur when an onsite wetland delineation is completed.

<u>Soils</u>

The following soil series are present at the Mitigation Site based on the soil map (Appendix B, Fig. 4).

Alden series consists of very deep, very poorly drained soils in depressions and low areas on upland till plains. Alden silt loam, 0 - 3% slopes (AcA) is classified as a hydric soil with a hydric rating of 95%. AcA has a water table at the soil surface. Saturated hydraulic conductivity for AcA is moderately high.

Camroden series consists of very deep, somewhat poorly drained soils in footslopes and moderately low areas on glacial till plains. Camroden silt loam, 3 – 8% slopes (CaB) is classified as a hydric soil with a hydric rating of 10%. CaB has a depth to water table of 12 inches. Saturated hydraulic conductivity for CaB is moderately high.

Empeyville series consists of very deep, moderately well-drained soils formed in loamy till. Empeyville flaggy silt loam, 3 - 8% slopes (EcB) and Empeyville flaggy silt loam, 8 - 10% slopes (EcC) are not classified as a hydric soil. EcB and EcC have a depth to water table of 21 inches. Saturated hydraulic conductivity for both EcB and EcC is moderately high.

Marcy series consists of very deep, poorly drained soils formed in glacial till. Marcy silt loam, 0 - 3% slopes (MeA) and Marcy silt loam, 3 - 8% slopes (MeB) are classified as hydric soils with a hydric rating of 90%. MeA and MeB both have a depth to water table of 3 inches. Saturated hydraulic conductivity for both MeA and MeB is moderately high.

Worth series consists of very deep, well-drained soils formed in loamy till. Worth flaggy silt loam, 3 - 8% slopes (WkB), Worth flaggy silt loam, 8 - 15% slopes (WkC), and Worth loam, 15 - 25% slopes, stony (WmD) are classified as hydric soils with a hydric rating of 5%. WkB, WkC and WmB all have a depth to water table of 27 inches. Saturated hydraulic conductivity for WkB, WkC and WmB is moderately high.

Wetland re-establishment activities will occur primarily on MeB and CaB soil map units. Both MeB and CaB have high runoff potential when thoroughly wet. Both MeB and CeB have

features somewhat favorable for holding water behind an embankment. Both MeB and CaB soil map units are suitable for successful wetland re-establishment.

4.0 MITIGATION WORK PLAN 4.1 CONSTRUCTION AND PLANNED HYDROLOGY

The following work plan is for a wetland mitigation plan based on site visits and existing data including USGS topographic maps, USDA soil surveys, state and federal wetland and floodplain maps, tax maps, aerial photos and topographic survey. The concept wetland design plan has been attached to this plan (Appendix F). The final design will include a full-size construction plan with the following components:

- 1. Overall property map showing the property boundary and Mitigation Site boundary. The overall map will show areas to be re-established, rehabilitated, and protected.
- 2. Project site plan and grading plan showing the proposed restored wetland areas including current and proposed elevations.
- 3. Details for construction of water control structures and embankment.
- 4. Cross sections of proposed earth moving activities.
- 5. A planting plan showing the areas of different planting regimes.
- 6. An Erosion and Sediment Control Plan.
- 7. A Monitoring Plan detailing the location of monitoring plots, photo points, and hydrology sampling points.
- 8. Specifications that include applicable construction methods and materials.

Construction of the mitigation wetlands shall commence in fall 2016, depending on permit approval and appropriate site conditions. DU will secure a qualified contractor to construct the wetland mitigation plan. An erosion and sediment control plan will be implemented and maintained during construction. DU staff shall be on-site during critical parts of construction to monitor construction of the wetland mitigation areas to ensure compliance with the mitigation plan and to make adjustments when appropriate to meet mitigation goals.

- Wetland restoration activities will occur in the agricultural field.
- Wetland rehabilitation will occur in the wetlands already present in the agricultural fields.
- Areas not restored or rehabilitated will be preserved, including the stream running through the northeastern end of the Mitigation Site.

Shallow excavations will be created in planned PEM areas in the agricultural field. These shallow excavations will provide the appropriate topography for re-establishing PEM and PSS wetlands. Using material from the excavations, several low-level berms will be constructed along the border of these PEM areas. These berms will allow surface water to accumulate which will promote ponding in the areas planned for re-establishing PEM and PSS wetlands. Tiles present in the agricultural field will be broken to further re-establish wetland hydrology.

4.2 PLANNED VEGETATION AND HABITAT FEATURES

The ponded areas adjacent to the berms will be seeded with emergent herbaceous vegetation to re-establish PEM wetlands. The edges of these PEM wetlands will be planted with hydrophytic shrubs to transition to PSS wetlands. The edges of these restored PSS wetlands will be planted with shrubs and trees to transition to PFO wetlands. Most of the remainder of the agricultural field will be planted with shrubs and trees to re-establish PFO wetlands and provide an upland forested buffer. Two areas in the agricultural field will be seeded with warm-season grasses to re-establish grasslands.

Seeding and planting will be used to supplement the existing seed bank to establish diverse wetland plant communities as follows:

- The planned PFO wetlands (32.2 acres) will be planted to re-establish hardwood swamps. (Table 2, 3 and 4)
- The planned PSS wetlands (2.3 acres) will be planted to re-establish shrub swamps as described in "Ecological Communities of New York State" (Edinger et al., 2014). (Table 3 and 4)
- The planned PEM wetlands (6.3 acres) will be seeded with a seed mix to reestablish wet meadows grading into shallow emergent marshes as described in "Ecological Communities of New York State" (Edinger et al., 2014). (Table 5)
- The planned grasslands (2.5 acres) will be seeded with a mix of warm season grasses. (Table 6)
- The planned upland forested buffer (6.1 acres) will be planted and seeded with native hardwood trees, and seeded with grasses and ground cover. (Table 7 and 8)
- The planned berms will be seeded with a mix of warm season grasses, cool season grasses and ground cover (Table 9)

				Woody stems
Common Name	Scientific Name	WIS	CoC	per acre
Red Maple	Acer rubrum	FAC	2.5	15
Silver Maple	Acer saccharinum	FACW	5	20
Black Gum	Nyssa sylvatica	FAC	7	25
American Sycamore	Platanus occidentalis	FACW	6.5	25
Eastern Cottonwood	Populus deltoides	FAC	3	20
Swamp White Oak	Quercus bicolor	FACW	5	35
Pin Oak	Quercus palustris	FACW	7.5	30
Pussy Willow	Salix discolor	FACW	3	15
Black Willow	Salix nigra	OBL	4.5	15
			TOTAL	200

Table 2. Planting list for planned PFO hardwood swamp wetland plant community (all plantings are 3 - 4' tall bare root plants [BRP])

				PFO	PSS
Common Name	Scientific Name	WIS	CoC	Shrubs/Acre	Shrubs/Acre
Speckled Alder	Alnus incana	FACW	3	15	30
Black Chokeberry	Aronia melanocarpa	FAC	6	25	
Common Hackberry	Celtis occidentalis	FAC	7	25	
Common Buttonbush	Cephalanthus	OBL	6.5		70
	occidentalis				
Red Osier	Cornus alba	FACW	3	25	50
Silky Dogwood	Cornus amomum	FACW	4	25	50
Spicebush	Lindera benzoin	FACW	7	30	60
Swamp Rose	Rosa palustris	OBL	6		50
Silky Willow	Salix sericea	OBL	3.5		30
White Meadowsweet	Spiraea alba	FACW	5	30	60
American Bladdernut	Staphylea trifolia	FAC	7	25	
	DTAL	200	400		

Table 3.	Planting list for shrub community	in the planned PFO	and PSS v	wetlands (all	plantings
are 3 – 4	' tall BRP)				

Table 4. Seeding list for PSS and PFO wetlands with an estimated VIBI-FQ of 54.

				Percent by
Common Name	Scientific Name	WIS	CoC	weight
Greater Bladder Sedge	Carex intumescens	FACW	4	10
Pointed Broom Sedge	Carex scoparia	FACW	2	10
Squarrose Sedge	Carex squarrosa	OBL	4	10
Common Buttonbush	Cephalanthus occidentalis	OBL	6.5	10
Red Osier	Cornus alba	FACW	3	10
Silky Dogwood	Cornus amomum	FACW	4	10
Spotted St. John's-Wort	Hypericum punctatum	FAC	5	2
Lesser Poverty Rush	Juncus tenuis	FAC	2	3
Spicebush	Lindera benzoin	FACW	7	20
Narrow-leaf Mountain-Mint	Pycnanthemum tenuifolium	FAC	5	1
Swamp Rose	Rosa palustris	OBL	6	5
Crooked-Stem American-	Symphyotrichum	FAC	5	4
Aster	prenanthoides			
Golden Alexanders	Zizia aurea	FAC	4	5
Seed mix application rate				lbs./acre

Table 5. Seeding list for planned PEM wet meadow/shallow emergent marsh wetland plant community with an estimated vegetation index of biotic integrity "floristic quality" (VIBI-FQ) metric of 50.

				Percent
Common Name	Scientific Name	WIS*	CoC**	weight
Several-Vein Sweetflag	Acorus americanus	OBL	6	2
American Water Plantain	Alisma subcordatum	OBL	4	4
Bearded Sedge	Carex comosa	OBL	4	5
Shallow Sedge	Carex lurida	OBL	3	15
Common Fox Sedge	Carex vulpinoidea	OBL	2	20
Common Spike-Rush	Eleocharis palustris	OBL	5	2
Rattlesnake Manna Grass	Glyceria canadensis	OBL	5	2
Lamp Rush	Juncus effusus	OBL	2	5
Rice Cut-Grass	Leersia oryzoides	OBL	3	4
Fowl Blue Grass	Poa palustris	FACW	4	15
Hard-stem Club-rush	Schoenoplectus acutus	OBL	7	1
Three-square	Schoenoplectus pungens	OBL	7	1
Dark-Green Bulrush	Scirpus atrovirens	OBL	5	5
Cottongrass Bulrush	Scirpus cyperinus	OBL	5	3
Broad-Fruit Burr-Reed	Spargainum americanum	OBL	5	4
American Burr-Reed	Sparganium eurycarpum	OBL	5	4
Simpler's Joy	Verbena hastata	FACW	4	8
Seed mix application rate				per acre

*WIS: Wetland Indicator Status

**CoC: Coefficient of Conservatism

			PLS*
Common Name	Scientific Name	WIS	lbs./acre
Big Bluestem	Andropogon gerardii	FACU	5
Italian Ryegrass	Lolium multiflorum	NI	10**
Wand Panic Grass	Panicum virgatum	FAC	3
Little Bluestem	Schizachyrium scoparium	FACU	2
Yellow Indian Grass	Sorghastrum nutans	FACU	5
	15 lbs./acre		

*PLS: Pure live seed

** To only be used as a cover crop in the fall.

			Percent by
Common Name	Scientific Name	WIS	Weight
Rough Bent	Agrostis scabra	FAC	5
Big Bluestem	Andropogen gerardii	FAC	10
Nodding Wild Rye	Elymus canadensis	FACU	20
Red Fescue	Festuca rubra	FACU	10
Perennial Rye Grass	Lolium perenne	FACU	30
Garden Bird's-Foot-Trefoil	Lotus corniculatus	FACU	5
Wand Panic Grass	Panicum virgatum	FAC	5
Kentucky Blue Grass	Poa pratensis	FACU	10
Red Clover	Trifolium pratense	FACU	5

Table 7. Seeding list for planned berms

Table 8. Planting list for trees and shrubs in the planned forested upland buffer (All plantings are 3 - 4' tall BRP)

				Woody stems
Common Name	Scientific Name	WIS	CoC	per acre
Red Maple	Acer rubrum	FAC	2.5	25
Sugar Maple	Acer saccharinum	FAC	3.5	15
Black Chokeberry	Aronia melanocarpa	FAC	6	25
Pig-Nut Hickory	Carya glabra	FACU	7	45
Shag-Bark Hickory	Carya ovata	FACU	5	30
Common Hackberry	Celtis occidentalis	FAC	7	25
Flowering Dogwood	Cornus florida	FACU	6	30
Gray Dogwood	Cornus racemosa	FAC	2	20
American Witch-Hazel	Hamamelis virginiana	FACU	4.5	35
Burr Oak	Quercus macrocarpa	FACU	7.5	50
Northern Red Oak	Quercus rubra	FACU	2.5	20
Eastern White Pine	Pinus Strobus	FACU	4.5	15
Fragrant Sumac	Rhus aromatica	UPL	6	20
Sassafras	Sassafras albidum	FACU	3	15
American Bladdernut	Staphylea trifolia	FAC	7	30
			TOTAL	400

Ducks Unlimited, Inc.

			Percent by
Common Name	Scientific Name	WIS	weight
Upland Bent	Agrostis perennans	FACU	15
Nodding Wild Rye	Elymus canadensis	FACU	20
Eastern Bottle-Brush	Elymus hystrix	FACU	20
Yellow Indian Grass	Sorghastrum nutans	FACU	10
Red Fescue	Festuca rubra	FACU	35

Table 9. Seeding list for forested upland buffer

5.0 PERFORMANCE AND SUCCESS STANDARDS

The following performance standards are based on the goals and objectives of the mitigation project as well as the character of existing wetlands surrounding the mitigation site. These standards will be used to evaluate development and overall success of the mitigation project:

- 1. Construction has been competed in accordance with approved plans and specifications in the permit.
- 2. The soils on the site will be stable and any non-biodegradable erosion controls will be removed.
- 3. The wetland re-establishment and re-habilitation areas will meet the conditions for indicators of wetland hydrology according to the "Corps of Engineers Wetlands Delineation Manual", dated January, 1987. The presence of wetland hydrology will be based on soil saturation and/or evidence of inundation via water potential, water depth measurements during the growing season and water table depth data from the monitoring wells.
- 4. At the end of the 10-year monitoring period:
 - a. The wetlands shall have 90% relative coverage by native perennial hydrophytic plants (those with a regional indicator status of FAC, FACW, or OBL in the report entitled "Northcentral and Northeast 2014 Regional Wetland Plant List").
 - b. The planned wetlands shall have a VIBI-FQ metric of at least 40.
 - c. The planned PFO and PSS areas will have at least 400 woody stems per acre, and the PFO areas will have at least 200 woody stems of tree species per acre.
 - d. The planned wetland areas shall have no more than 5% coverage of the following invasive plant species: purple loosestrife (*Lythrum salicaria*), common reed (*Phragmites australis*), reed canary grass (*Phalaris arundinacea*), cattails (*Typha angustifolia* and *Typha x glauca*), buckthorn (*Rhamnus cathartica*) and Japanese knotweed (*Polygonum cuspidatum*).
 - e. The forested upland buffer re-establishment areas will have 80% coverage of native perennials and no more than 10% coverage of the following invasive plant species: buckthorn (*Rhamnus cathartica*), honeysuckles (*Lonicera* spp.), and reed canary grass (*Phalaris arundinacea*).

f. The re-established and re-habilitated wetlands will meet the federal wetland criteria outlined in the report entitled "Corps of Engineers Wetlands Delineation Manual", dated January, 1987, with current Corps of Engineers Northcentral and Northeast Regional Supplement.

In addition to the performance standards mentioned above, three interim goals must be met during the 10-year monitoring period. Each interim goal will release 15% of the credits for re-establishment and rehabilitation when the goal has been met.

1st Interim Goal:

- The planned wetland areas will have 50% coverage by native perennial hydrophytes.
- The planned wetland areas will demonstrate progress in vegetative development towards meeting the final VIBI-FQ goal.
- The planned PFO and PSS areas will have at least 150 trees/shrubs per acre.
- The planned wetland areas will have no more than 25% coverage of the following invasive plant species: purple loosestrife (*Lythrum salicaria*), common reed (*Phragmites australis*), reed canary grass (*Phalaris arundinacea*), cattails (*Typha angustifolia* and *Typha x glauca*), buckthorn (*Rhamnus cathartica*), and Japanese knotweed (*Polygonum cuspidatum*).
- Upland buffer rehabilitation areas will have 50% coverage of native perennials.
- The upland buffer rehabilitation area will have no more than 35% coverage of the following invasive plant species: buckthorn (*Rhamnus cathartica*), honeysuckles (*Lonicera* spp.), and reed canary grass (*Phalaris arundinacea*).

2nd Interim Goal:

- The planned wetland areas will have 60% coverage by native perennial hydrophytes.
- The planned wetland areas will demonstrate progress in vegetative development towards meeting the final VIBI-FQ goal.
- The planned PFO and PSS areas will have at least 250 trees/shrubs per acre.
- The planned wetland areas will have no more than 20% coverage of the following invasive plant species: purple loosestrife (*Lythrum salicaria*), common reed (*Phragmites australis*), reed canary grass (*Phalaris arundinacea*), cattails (*Typha angustifolia* and *Typha x glauca*), buckthorn (*Rhamnus cathartica*), and Japanese knotweed (*Polygonum cuspidatum*).
- The upland buffer rehabilitation area will have no more than 25% coverage of the following invasive plant species: buckthorn (*Rhamnus cathartica*), honeysuckles (*Lonicera* spp.), and reed canary grass (*Phalaris arundinacea*).

3rd Interim Goal:

- The planned wetland areas will have 75% coverage by native perennial hydrophytes.
- The planned wetland areas will demonstrate progress in vegetative development towards meeting the final VIBI-FQ goal.
- The planned PFO and PSS areas will have at least 350 trees/shrubs per acre.



- The planned wetland areas will have no more than 15% coverage of the following invasive plant species: purple loosestrife (*Lythrum salicaria*), common reed (*Phragmites australis*), reed canary grass (*Phalaris arundinacea*), cattails (*Typha angustifolia* and *Typha x glauca*), buckthorn (*Rhamnus cathartica*), and Japanese knotweed (*Polygonum cuspidatum*).
- The upland buffer rehabilitation area will have no more than 15% coverage of the following invasive plant species: buckthorn (*Rhamnus cathartica*), honeysuckles (*Lonicera* spp.), and reed canary grass (*Phalaris arundinacea*).

The success of this wetland mitigation project will be assessed based on the performance standards and interim goals outlined above and include any additional conditional standards identified and agreed upon by the USACE upon final design and during the permitting process.

6.0 CREDIT DETERMINATION

The mitigation site will generate 38.72 credits based on the following ratios and acreages for each mitigation activity.

Mitigation Activity	Acres	Ratio	Credits
PEM Re-establishment	4	1:1	4
PEM Re-establishment (within 50 m buffer of property line)	2.3	1:2	1.15
PFO Re-establishment	22.6	1:1	22.6
PFO Re-establishment (within 50 m buffer of property line)	9.6	1:2	4.8
PSS Re-establishment	2.1	1:1	2.1
PSS Re-establishment (within 50 m buffer of property line)	0.2	1:2	0.1
PSS Preservation	7.3	1:10	0.73
Forested Upland Buffer Re-establishment (within 50 m of wetlands)	6.1	1:4	1.52
Grassland Re-establishment (within 50 m of wetlands)	2.5	1:4	0.62
Upland Buffer Preservation (within 50 m of wetlands)	10.9	1:10	1.09
Total			38.72

Table 9. Credits generated by wetland mitigation activity

The credit release schedule will include:

- All of the credits associated with the preservation will be released upon documentation of preservation (recorded deed) with associated approved stewardship plan (long-term management plan).
- 10% of the credits for re-establishment and rehabilitation will be released upon approval of this mitigation plan
- 20% of the credits for re-establishment and rehabilitation will be released at as-built production and approval by the IRT.
- 15% of the credits for re-establishment and rehabilitation will be released after meeting the first interim goal.



- 15% of the credits for re-establishment and rehabilitation will be released after meeting the second interim goal.
- 15% of the credits for re-establishment and rehabilitation will be released after meeting the third interim goal.
- 25% of the credits for re-establishment and rehabilitation will be released after the final vegetation goals have been met for 10-year monitoring period.

7.0 MITIGATION SITE PROTECTION

The Mitigation Site is currently privately owned, and a letter of intent to purchase the property has been submitted, with a closing date of June 1, 2016. The property will be purchased by Wetlands America Trust, Inc. (WAT). WAT; a wholly owned subsidiary of DU, is a non-profit conservation organization that is an Accredited Land Trust.

Ownership of the Mitigation Site by WAT meets the site protection requirements of 33 CFR 332.7(a)(1). In addition to ownership, WAT will record a Notice of Mitigation Agreement (Appendix G) in the land records of Lewis County, upon approval of this mitigation plan. The Notice of Mitigation Agreement will give the USACE the ability to enforce compliance with the approved Mitigation Plan.

If the property is transferred out of WATs ownership, a conservation easement will be recorded on the property by DU or another land trust as approved by the USACE and IRT. A long-term protection endowment will be established per the approved project budget for long term protection monitoring in perpetuity.

8.0 MONITORING

DU staff, experienced with wetland restoration and mitigation, will coordinate and oversee monitoring activities. A surveyed drawing showing the As-Built conditions of the mitigated area will be submitted within 60 days following the completion of the mitigation project. The site will be monitored and a monitoring report will be submitted annually to the USACE for years 1, 2,3,5,7, and 10 or when performance and success standards have been met. Observations will occur in late summer/early fall.

The reports will address the performance standards in the summary data section and will address the additional items noted in the monitoring report requirements, in the appropriate section. The reports will also include the monitoring-report appendices. The first year of monitoring will be the first year that the Mitigation Site has been through a full growing season after completion of construction and planting. Each annual monitoring report, in the format provided in the New York District Compensatory Mitigation Guidelines, will be submitted to the USACE, Regulatory Division, Policy Analysis and Technical Support Branch, no later than December 15 of each monitoring year and include the following information:

1. A copy of the USACE permit referencing the approved mitigation plan.

- 2. A copy of the approved mitigation plan including the goals, objectives and performances standards.
- 3. Identification of any structural failures or external disturbances to the Mitigation Site.
- 4. A description of management activities and remedial actions implemented during the past year.
- 5. A surveyed drawing of the mitigation area, including water level elevations and acreage of wetlands. The locations of focused 20 m x 50 m VIBI-FQ plots, random 10 m x 10 m plots, vegetation communities, and planting zones will also be identified on the drawings. The plans will include overlays to show pre-construction conditions and changes from monitoring year to monitoring year. A sample focused 20 m x 50 m VIBI-FQ plot is attached in Appendix H.
- 6. Color photographs from monitoring stations and a photograph location map showing all representative areas of each cover type within the mitigation site.
- 7. A plant species list that gives USFWS Wetland Indicator Status and strata (herb, shrub, tree). Dominant plants will be highlighted and the percent of the aerial cover noted. Plants introduced through seeding or planting will be indicated. A vegetation cover map based on the collected plant data will be provided.
- 8. Water depth and the date of measurement from fixed locations including monitoring wells within the wetland will be recorded. These sample points will be plotted on the survey drawings.
- 9. Anecdotal list of wildlife species observed using the wetlands.
- 10. Methodologies used to control nuisance vegetation (e.g., *Phalaris arundinacea*, *Phragmites australis*, *Lythrum salicaria*, *Rhamnus cathartica*).
- 11. A quantitative assessment of monitoring data (e.g., VIBI-FQ, percent coverage of invasive species, and woody stems per acre) and a statement as to whether or not the goals of the mitigation project are being met and a plan with an implementation time table to correct any deficiencies.
- 12. A narrative summary of the monitoring data and conclusions of the monitoring.

A post-construction assessment report and wetland delineation survey will be submitted to the USACE in conjunction with the monitoring reports for the fifth and tenth years of the monitoring period.

9.0 MAINTENANCE AND ADAPTIVE MANAGEMENT PLAN

DU will conduct adaptive management activities during the monitoring period. When monitoring indicates that a performance standard is not being met, then that standard will be evaluated to determine if simply more time is needed or a remedial action may be required. This will be accomplished by consulting wetland experts and permitting agencies to determine an appropriate course of action. Remedial actions may include seeding or planting, non-native plant control, and erosion control measures. Remedial actions requiring earth movement or changes in hydrology will not be implemented without written approval from the USACE. Once the monitoring period is over, the completed wetland will be managed by the long term steward and managed only as needed and specified in the site management plan.

10.0 LONG-TERM STEWARDSHIP PLAN

DU will be responsible for the maintenance and management of the Mitigation Site.

A long-term management endowment will be established per the approved project budget for long-term management of the Mitigation Site in perpetuity using DU-NY-ILF program funds.

Long-term management for this site to ensure it is maintained as a high quality wetland will include invasive species management every 3 years. It is anticipated that the only threat to the wetland beyond the initial 10 years of the project will be encroachment by invasive species.

Although sufficient efforts will be made to eradicate invasive species from the site, it is likely that they will recolonize and need control. DU will provide written notice to the USACE if ownership of the Mitigation Site is transferred to a third party by WAT. (A transfer prior to attaining the final performance standard will require the approval of the USACE.)

For said transfer to also include responsibility for the long-term stewardship of the Mitigation Site, it will only occur upon approval of the USACE. If the long-term stewardship responsibility is transferred, the long-term management endowment will also be transferred.

11.0 FINANCIAL ASSURANCES

Financial assurances for the construction and performance of the Mitigation Site will be provided by DU in the form of a "letter of credit." The letter of credit will extend sufficient financial resources to complete significant alterations to the project if necessary to achieve success. The letter of credit will be in the full amount of the construction estimate (for a maximum of three years) and for the replanting of 25% of the PSS, PFO and Upland forest areas if these areas fail to meet stem count performance objectives (for the duration of the monitoring period). The letter of credit will not be called upon unless DU has exhausted the existing project budget, including all money set aside for contingency and wetland maintenance

References:

- Bergman Associates. (2010). *Black River Watershed Management Plan*. Retrieved from: <u>http://www.tughill.org/wp-content/uploads/2011/10/7BRWFinalDocumentPartI-May2010.pdf</u>
- Edinger, G. J., Evans, D. J., Gebauer, S., Howard, T. G., Hunt, D.M., and Olivero, A. M. (Eds.).
 (2014) Ecological communities of New York State (2nd ed.): A revised and expanded edition of Carol Reschke's ecological communities of New York State. Albany, NY: New York Natural Heritage Program, New York State Department of Environmental Conservation.
- Environmental Protection Agency (2012) New York 303(d) listed waters for reporting year 2012. Retrieved from <u>https://iaspub.epa.gov/waters10/attains_impaired_waters.impaired_waters_list?p_state=N_Y&p_cycle=2012</u>
- New York State Department of Environmental Conservation. (2015). *State wildlife action plan*. Retrieved from <u>http://www.dec.ny.gov/docs/wildlife_pdf/swapfinaldraft2015.pdf</u>
- Schilling, K.E, and Kiniry, J. R. (2007). Estimation of evaportranspiration by reed canarygrass using field observations and model simulation. *Journal of Hydrology*, *337*(3), 356 363.
- United States Department of Agriculture Natural Resources Conservation Service. (2010). *New York rapid watershed assessment profile: Black watershed*. Retrieved from: <u>http://www.nrcs.usda.gov/wps/portal/nrcs/detail/ny/technical/dma/rwa/?cid=stelprdb1246990</u>

APPENDIX A:

SUMMARY OF IMPACTS TO WETLANDS

DA Permit Number	HUC8	Resource Type	Acres Impacted	Credits Purchased
2002-02165(1)	04140203	PEM, PSS, and PFO	1.84	1.5
2009-00441	04140203	PEM	0.62	0.82
2010-00598	04140203	PEM	0.412	0.5
2013-00237	04140203	PFO	0.2	0.6
Total			3.072	3.42

Table 1. Impacts to wetlands in the Black River Service Area