

PUBLIC NOTICE

US Army Corps of Engineers New York District Jacob K. Javits Federal Building New York, N.Y. 10278-0090 ATTN: Regulatory Branch

In replying refer to:
Public Notice Number: NAN-2021-00516-EMI
Issue Date:
Expiration Date:

To Whom It May Concern:

The New York District, Corps of Engineers has received an application for a Department of the Army permit pursuant to Section 10 of the Rivers and Harbors Act of 1899 (33 U.S.C. 403) and Section 404 of the Clean Water Act (33 U.S.C. 1344).

APPLICANT: River Street Partners, LLC

45 Main Street

Brooklyn, New York 11201

ACTIVITY: Construction of a Public Waterfront Park referred to as "River Ring"

WATERWAY: East River

LOCATION: 87 & 105 River Street, Borough of Brooklyn, Kings County, City of New York,

New York

A detailed description and plans of the applicant's activity are enclosed to assist in your review.

The decision whether to issue a permit will be based on an evaluation of the probable impact including cumulative impacts of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the proposal must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the proposal will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, floodplain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production, mineral needs, considerations of property ownership and, in general, the needs and welfare of the people.

The Corps of Engineers is soliciting comments from the public; Federal, state, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this proposed activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed activity.

ALL COMMENTS REGARDING THE PERMIT APPLICATION MUST BE PREPARED IN WRITING

CENAN-OP-RE PUBLIC NOTICE NO. NAN-2021-00516-EMI

AND EMAILED TO REACH THIS OFFICE BEFORE THE EXPIRATION DATE OF THIS NOTICE, otherwise, it will be presumed that there are no objections to the activity.

Comments submitted in response to this notice will be fully considered during the public interest review for this permit application. Comments provided will become part of the public record for this permit application. All written comments, including contact information, will be made a part of the administrative record, available to the public under the Freedom of Information Act. The Administrative Record, or portions thereof, may also be posted on a Corps of Engineers internet web site. Due to resource limitations, this office will normally not acknowledge the receipt of comments or respond to individual letters of comment.

Any person may request, in writing, before this public notice expires, that a public hearing be held to collect information necessary to consider this application. Requests for public hearings shall state, with particularity, the reasons why a public hearing should be held. It should be noted that information submitted by email is considered just as carefully in the permit decision process and bears the same weight as that furnished at a public hearing.

Our preliminary determination is that the activity for which authorization is sought herein is not likely to affect any Federally endangered or threatened species or their critical habitat. However, pursuant to Section 7 of the Endangered Species Act (16 U.S.C. 1531), the District Engineer is consulting with the appropriate Federal agency to determine the presence of and potential impacts to listed species in the project area or their critical habitat.

The Magnuson-Stevens Fishery Conservation and Management Act, as amended by the Sustainable Fisheries Act (Public Law 104-267), requires all Federal agencies to consult with the National Oceanic and Atmospheric Administration Fisheries Service (NOAA/FS) on all actions, or proposed actions, permitted, funded, or undertaken by the agency, that may adversely affect Essential Fish Habitat (EFH). The proposed work, fully described in the attached work description, could cause the disruption of habitat for various lifestages of some EFH-designated species as a result of a temporary increase in turbidity during construction. However, the New York District has made the preliminary determination that the site-specific adverse effects are not likely to be substantial because it is expected that fish populations would avoid the small area of disturbance. Further consultation with NOAA/FS regarding EFH impacts and conservation recommendations is being conducted and will be concluded prior to the final decision.

Based upon a review of the latest published version of the National Register of Historic Places, there are no known sites eligible for, or included in, the Register within the permit area. Presently unknown archeological, scientific, prehistorical, or historical data may be lost by work accomplished under the required permit.

Reviews of activities pursuant to Section 404 of the Clean Water Act will include application of the guidelines promulgated by the Administrator, U.S. Environmental Protection Agency, under authority of Section 404 (b) of the Clean Water Act and the applicant will obtain a water quality certificate or waiver from the appropriate state agency in accordance with Section 401 of the Clean Water Act prior to a permit decision.

Pursuant to Section 307 (c) of the Coastal Zone Management Act of 1972 as amended [16 U.S.C. 1456 (c)], for activities under consideration that are located within the coastal zone of a state which has a federally approved coastal zone management program, the applicant has certified in the permit application that the activity complies with, and will be conducted in a manner that is consistent with, the approved state coastal zone management program. By this public notice, we are

CENAN-OP-RE PUBLIC NOTICE NO. NAN-2021-00516-EMI

requesting the state's concurrence with, objection to, or waiver of the applicant's certification. No permit decision will be made until one of these actions occur. For activities within the coastal zone of New York State, the applicant's certification and accompanying information is available from the Consistency Coordinator, New York State Department of State, Division of Coastal Resources and Waterfront Revitalization, Coastal Zone Management Program, One Commerce Plaza, 99 Washington Avenue, Albany, New York 12231, Telephone (518) 474-6000. Comments regarding the applicant's certification, and copies of any letters to this office commenting upon this proposal, should be so addressed.

In addition to any required water quality certificate and coastal zone management program concurrence, the applicant has obtained or requested the following governmental authorization for the activity under consideration:

• New York State Department of Environmental Conservation

It is requested that you communicate the foregoing information concerning the activity to any persons known by you to be interested and who did not receive a copy of this notice. Please send all comments and questions concerning this application to Christopher.W.Minck@usace.army.mil.

In order for us to better serve you, please complete our Customer Service Survey located at http://www.nan.usace.army.mil/Missions/Regulatory/CustomerSurvey.aspx.

For more information on New York District Corps of Engineers programs, visit our website at http://www.nan.usace.army.mil.

FOR AND IN BEHALF OF Stephan A. Ryba Chief, Regulatory Branch

Enclosures

WORK DESCRIPTION

The permit applicant, River Street Partners, LLC, has requested Department of the Army (DA) authorization for the construction of a public access waterfront park in conjunction with upland development in the East River at 87 & 105 River Street, Borough of Brooklyn, Kings County, City of New York, New York.

The proposed work would involve the following:

Removal:

Remove all of the existing pile supported waterfront structures, including but not limited to the existing wharves, aprons, fendering system, fixed piers, walkways, catwalks, and platforms, totaling approximately 20,938 square feet. All piles would be removed or cut at the mudline, and the existing southernmost caisson (approximately 805 square feet) would be removed. Approximately 600 linear feet of existing steel sheet pile bulkhead and timber closure wall behind the existing wharf along the south side of the project area, and approximately 674 cubic yards of debris from the former North 3rd Street Pier would also be removed.

Caisson Maintenance:

The three (3) existing caissons would be encased with an approximately six-inch Fiber-Reinforced Polymer (FRP) Jacket and filled with approximately 245 cubic yards of flowable grout below the plane of Spring High Water (SHW) over approximately 194 square feet.

Southern Breakwater Platform:

Along the south side of the project area, the existing wharf structure would be removed including the closure wall. A new approximately 457 linear foot bulkhead would be installed approximately 12 feet landward of the existing closure wall, and approximately 6,076 cubic yards of material would be excavated, creating approximately 3,144 square feet of open water.

Construct an approximately 34,832-square foot partially submerged, irregularly shaped, pile supported pre-cast concrete "tub" platform. The platform would be supported by approximately 176 30-inch diameter steel piles (Piles will be filled with about 479 cubic yards of concrete below SHW). The bottom of the pre-cast tubs would be set at elevation -6.0 feet NAVD88 for the eastern portion of the southern platform and elevation -9.0 feet NAVD88 for the western portion of the southern platform. The southern breakwater platform would have a minimum width of 37 ft. The top of the precast concrete tubs would be set at elevation -3.0 feet NAVD88. The platform would consist of ECOncrete precast panels to support biological growth along the vertical surface. The platform would be filled with clean fill and geofoam to create a berm with a walkway on top. The side slopes of the berm would incorporate ecological armoring. In total, approximately 7,735 cubic yards of material including soil, geofoam and ecological armoring would be placed below the plane of SHW over approximately 20,513-square feet. The total height of the breakwater structures would reach approximately 10.0 feet NAVD88.

The eastern section of the southern platform constructed from the landward end of the replaced bulkhead would be approximately 12,090-square feet. A beach area (get-down) approximately 620-square feet would be created on top of the platform with an approximately 370-foot-long by 10-foot-wide cobble sill.

The western section of the southern breakwater structure would extend to the southernmost caisson measuring approximately 48-foot in diameter.

Western Platform Breakwater:

Along the west side of the project area, construct an approximately 17,335-square foot partially submerged, irregularly shaped, pile supported pre-cast concrete "tub" platform to create a western breakwater. The breakwater would incorporate the two (2) northern caissons into its structure. The platform would be supported by approximately 95 30-inch diameter steel piles (piles would be filled with about 259 cubic yards of concrete below SHW). The platform would consist of ECOncrete precast panels to support biological growth along the vertical surface. The platform would be filled with clean fill and geofoam to create a berm with a walkway on top. A precast concrete box would be installed on top of the platform to support a portion of the walkway. Additional material including ecological paneling and modular walls would be installed on each side of the walkway. In total, approximately 4,912 cubic yards of material including soil, geofoam and ecological armoring would be placed below the plane of SHW over approximately 7,263-square feet. The bottom of the pre-cast tubs would be set at elevation -9.0 feet NAVD88 and would be a minimum of 26-feet wide. The top of the precast concrete tubs would be set at elevation -3.0 feet NAVD88. The total height of the breakwater structures would reach approximately 10.0 feet NAVD88.

Cove:

To create a new cove, excavate from the upland area landward of the current SHW approximately 12,989 cubic yards of historic fill material to create approximately 18,838 square feet of open waters. Within the cove, an approximately 8,440 square foot beach would be created along the northeastern side of which approximately 520 cubic yards of clean sand would be discharged below the plane of SHW over approximately 4,685 square feet. In front of the beach area and extending south, an approximately 12,473 square foot cobble sill would be constructed by placing approximately 462 cubic yards of riprap below the plane of SHW.

Groin:

Along the north side of the cove, approximately 2,474 cubic yards of clean material would be placed below the plane of SHW over approximately 6,803 square feet to create a soil fill and riprap groin along the northern portion of the "ring."

Tidal Marsh & Pools:

Behind the northern-most portion of the southern platform and behind the cobble sill within the cove, establish an approximately 19,452 square foot tidal marsh with tidal pools by excavating 4,219 cubic yards of historic fill from below SHW. The tidal marsh would incorporate approximately 18,532 square feet of salt marsh and approximately 920 square feet of tidal pools. Approximately 457 cubic yards of clean fill would be placed below the plane of SHW as planting medium for the marsh. Approximately 11,893 square feet would be planted with Spartina alterniflora as low marsh; approximately 472 square feet would be planted with Spartina patens and Distichlis spicata as high marsh. Beyond the SHW, approximately 1,069 square feet would be planted with Baccharis halimfolia, Iva frutescens, Panicum virgatum, Solidago sempervirens, and juncus gerardii as transitional upland salt tolerant zone and approximately 22,815 square feet would be planted with Rhus copallinum, Rhus glabra, Rhus aromatica, Myrica pensylvanica, Schizachyrium scoparium, Andropogon gerardii, Panicum virgatum and Juncus tenius as coastal scrub shrub.

Walkways:

To connect the breakwaters and create a "ring," open-grate walkways would be constructed between the two breakwaters, around the cove, and over the tidal marsh. The approximately 8'-foot-wide by 135-foot-long walkway between the breakwaters would connect the walkways atop the breakwaters. The approximately 14.5-foot-wide by 1,290-foot-long circular open-grate

CENAN-OP-RE PUBLIC NOTICE NO. NAN-2021-00516-EMI

walkway would extend from the seaward end of the groin, connect with the eastern side of the western breakwater, continue circularly, split to connect with the southern platform and over the tidal marsh area, and continue to the upland. The approximately 14.5-foot-wide by 225-foot-long portion of the open-grate walkway that crosses over the tidal marsh has been designed to be located above the tidal pools to minimize coverage of tidal vegetation. In total, approximately 8,351 square feet of open-grate walkway would be installed over existing and created Waters of the United States.

Oysters:

Construct oyster reefs along the eastern sides of the breakwater structures, on the northwestern side of the southern platform, seaward of the tidal marsh, and on the southern side of the groin. Approximately 21,996 square feet of oyster reefs consisting of oyster cages and reef balls would be installed.

Submerged Aquatic Vegetation Pilot Program:

Approximately 389 cubic yards of sandy planting medium would be discharged below the plane of SHW over approximately 10,501 square feet and planted with *Zostera marina* to establish an eelgrass pilot program.

Outfalls:

The existing combined sewer outfall (CSO) would be relocated from Metropolitan Avenue to North 3rd Street north of the groin. Two (2) 24-inch diameter outfalls would be installed. One would be located on the north side of the cove, and the other would be located along the south side of the southern breakwater.

The applicant has stated that they have avoided, minimized, and mitigated for potential impacts proposed to the maximum extent practicable by utilizing Best Management Practices including but not limited to, utilizing a soft start and vibratory hammer, as practicable during pile driving and bulkhead installation and by using a turbidity curtain around the project area during in-water construction activities. The project will result in a net creation of open waters in addition to establishing tidal wetlands, oyster reef structures, and submerged aquatic vegetation within the project area.

The applicant's stated purpose of the project is to expand public waterfront access along the East River north from Domino Park and the Grand Ferry Park esplanade, while enhancing and sustaining habitat and increasing the resilience of the site and upland areas, in a manner that recognizes the constraints imposed by the busy navigational waterway.

The regulated work is in conjunction with an upland residential development at the site, which is outside of the jurisdiction of this office.

USACE FILE: NAN-2021-00531-EMI OMI CLA DUPONT ST Park C Peter Cooper EAGLE ST Gashouse Village Greenpojt zogue ncinerator GREEN ST District Huron Street HURON ST INDIA ST Stuyvesant Town Newtown Creek Slip PO JAVA ST Bookseller's KENT ST MONITOR MILTON'ST NOBLE ST East Village QUAY ST PO Loisaida Greenpoint **Jacob Riis** Houses SITE ster,-Allen key Housing Lower Metropo East Side Williamsburg DEVOE S Hillman Housing Williamsburg East River **Ienry Street** Bridge Houses Settlement: bocker Corlears Hook STA Jonathan age Pier 36 NEW YORK CO Williams Houses Williamsburg Houses FERRY CROSSINGS KINGS CO Manhattan Bridge Vinegar Dry Dock Number 1 FLUSHING AVE Sumne :/House Tompkins 7 SOURCE: "BROOKLYN NEW YORK 7.5-MINUTE SERIES", U.S. GEOLOGICAL SURVEY, 2013 NOTE: ELEVATIONS ARE REFERENCED TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88). 2000 1000 2000

SCALE IN FEET Project Figure Title Project No. 170594401 **RIVER RING** Date 03/15/2021 Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. **SITE VICINITY** BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50 Drawn By KRW 21 Penn Plaza, 360 West 31st Street, 8th Floor New York, NY 10001 BROOKLYN Checked By


NEW YORK


T: 212.479.5400 F: 212.479.5444 www.langan.com

KINGS

Filename: c:\bms\langan-pw-01\dms41746\170594401-0301-BL101-0102.dwg Date: 3/15/2021 Time: 18:21 User: fdemelo Style Table: Langan.stb Layout: FIG 1 - SITE VICINITY MAP

Figure No.








USACE FILE: NAN-2021-00531-EMI WHARF AREA TO BE CLEARED ±22.5 FT ±34 FT 9" CONCRETE DECK TO BE REMOVED 12X12 CAP BEAM SHEET PILE WALL PAVEMENT TO BE REMOVED 10 TIMBER CURB 12X12 TIMBER CAP BEAM TO BE REMOVED ELEVATION, FT (NAVD88) TO BE REMOVED ▼MHHW▼<u>MHW</u> 12X6 TIMBER PILE CAP TO BE REMOVED (TYP) MLLW MLW 12X12 TIMBER WALE 12X12 SISTER POST TO BE REMOVED TO BE REMOVED (TYP) NOTES: 12X4 TIMBER BRACING TO BE REMOVED 1. WATERFRONT STRUCTURAL (TYP) ELEMENTS TO BE REMOVED (I.E., PILES, BULKHEADS) CAN EITHER BE 12" Ø TIMBER PILE EXTRACTED OR CUT TWO FEET 12X6 TIMBER CLOSURE WALL TO BE REMOVED BELOW PROPOSED MUDLINE. TO BE REMOVED (TYP, SEE NOTE 1) (SEE NOTE 1) 2. SECTIONS SHOWN ARE BASED ON INFORMATION PROVIDED IN MUDLINE 12" Ø TIMBER BATTER PILE "WATERFRONT FACILITY INSPECTION TO BE REMOVED NORTH FIRST STREET PIERS AND (TYP, SEE NOTE 1) PLATFORM, BROOKLYN, NY" REPORT BY COLLINS ENGINEERS INC., DATED JUNE 2016. STRUCTURE CONFIGURATION IS PROVIDED FOR REFERENCE ONLY AND SHALL BE VERIFIED IN FIELD. Drawing Title Project No. Drawing No. Project 170594401 **RIVER RING** 10 10 Langan Engineering, Environmental, Surveying, **EXISTING** 03/18/2022 Landscape Architecture and Geology, D.P.C. W-010 BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50 Drawn By 21 Penn Plaza, 360 West 31st Street, 8th Floor **SECTION 1** KRW New York, NY 10001 SCALE IN FEET BROOKLYN Checked By T: 212.479.5400 F: 212.479.5444 www.langan.com


KINGS


NEW YORK











USACE FILE: NAN-2021-00531-EMI EAST RIVER EBB 28 FT ± FLOOD OYSTER CAGES AND REEF BALLS (TYP) 44 FT ± NOAA NAVIGATION CHANNEL WALKWAY (TYP) **ELEVATED** WALKWAY **ELEVATED** US PIERHEAD LINE WALKWAY LANDSCAPE (TYP) **ECOLOGICAL ARMORING** 1974 TIDAL (TYP) WETLAND BOUNDARY ARMORING (TYP) **BEACH** (TYP) **EXISTING** MHW SALT MARSH TIDE POOLS LEGEND: NOTES: **PROPOSED** MHW **BEACH** 1. BACKGROUND REFERENCED FROM A SITE PLAN **PROPOSED** DATED 17 SEPTEMBER 2020 BY JAMES CORNER LANDSCAPE MHHW FIELD OPERATIONS. 2. 1974 TIDAL WETLAND BOUNDARY REFERENCED NEW OYSTER CAGES FROM "TIDAL WETLANDS MAP - NEW YORK STATE BUILDING AND REEF BALLS DEPARTMENT OF ENVIRONMENTAL CONSERVATION SALT MARSH/ - MAP 856-506, INDEX MAP NUMBER 1". TIDE POOLS NEW 2. SHW IS EQUIVALENT TO MHHW AT THIS SITE. BUILDING **ECOLOGICAL ARMORING** Drawing No. Drawing Title Project No. Project **ARMORING** 170594401 **RIVER STREET** Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. Date 100 100 **PROPOSED** 03/18/2022 BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50 W-100 Drawn By 21 Penn Plaza, 360 West 31st Street, 8th Floor **SITE PLAN** KRW New York, NY 10001 BROOKLYN Checked By SCALE IN FEET T: 212.479.5400 F: 212.479.5444 www.langan.com KINGS **NEW YORK**

USACE FILE: NAN-2021-00531-EMI EAST RIVER FLQOD BREAKWATER PLATFORM ON PILES NOAA NAVIGATION CHANNEL BOP US PIERHEAD LINE **ELEVATED** WALKWAY (TYP) 499.h ET 14.5 FT 1974 TIDAL 16> .8 FT WETLAND BOUNDARY BULKHEAD ON PLATFORM BOP BOP EL -9 EL -6 **RIPRAP** SILL **EXISTING** 133.8 FT L-D MHW 146.0 FT PROPOSED MHW ON GRADE C NOTES: LEGEND: PROPOSED MHHW BACKGROUND REFERENCED FROM A SITE PLAN DATED 17 BREAKWATER SEPTEMBER 2020 BY JAMES PLATFORM ON PILES CORNER FIELD OPERATIONS. ELEVATED WALKWAY 2. 1974 TIDAL WETLAND BOUNDARY REFERENCED FROM NFW NEW RIPRAP/SILL "TIDAL WETLANDS MAP — NEW BUILDING BUILDING YORK STATE DEPARTMENT OF BOTTOM OF PLATFORM ENVIRONMENTAL CONSERVATION -BULKHEAD MAP 856-506, INDEX MAP Project Drawing Title Project No. Drawing No. NUMBER 1". 170594401

RIVER RING

BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50

BROOKLYN

NEW YORK

Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C.

21 Penn Plaza, 360 West 31st Street, 8th Floor

New York, NY 10001

T: 212.479.5400 F: 212.479.5444 www.langan.com

100

50

SCALE IN FEET

100

STRUCTURES Filename: c:\bms\langan-pw-01\dms41745\170594401-0201-BL101-0110.DWG Date: 3/18/2022 Time: 17:58 User: fdemelo Style Table: Langan.stb Layout: PROPOSED WATERFRONT STRUCTURE:

PROPOSED

WATERFRONT

Date

Drawn By

Checked By

03/18/2022

KRW

W-101


USACE FILE: NAN-2021-00531-EMI 5 **EBB** EAST RIVER ±489 FT **FLOOD** (5) **EXISTING** CAISSON 30" Ø PILE (TYP) PLATFORM OUTLINE **BULKHEAD** (SEE W-140) WALKWAY ABOVE (SEE W-130 SERIES) NOTES: 1. SEE W-101 FOR OVERALL SITE STRUCTURES PLAN. ±177 FT 2. SEE W-111 FOR SOUTH PLATFORM FRAMING PLAN. 3. SEE W-112 FOR SOUTH PLATFORM DECK PLAN. Drawing Title Project No. Drawing No. Project 170594401 **RIVER RING** SOUTH PLATFORM 60 20 40 60 Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. 03/18/2022 W-110 BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50 **FOUNDATION** Drawn By 21 Penn Plaza, 360 West 31st Street, 8th Floor KRW New York, NY 10001 SCALE IN FEET **PLAN** BROOKLYN Checked By T: 212.479.5400 F: 212.479.5444 www.langan.com **KINGS NEW YORK**

USACE FILE: NAN-2021-00531-EMI 5 **EBB** EAST RIVER ±489 FT **FLOOD** (5) (10) (12) (13) (14) (15) (16) (17) **EXISTING** CAISSON 37.3 FT 15.2 FT S PRECAST BENT BEAM PLATFORM OUTLINE (TYP) BULKHEAD (SEE W-140) 31 WALKWAY ABOVE (SEE W-130 SERIES) 31.3 FT 39.1 FT/ 20.5 FT NOTES: SEE W-101 FOR OVERALL SITE STRUCTURES PLAN. ±177 FT SEE W-110 FOR SOUTH PLATFORM FOUNDATION PLAN. 3. SEE W-112 FOR SOUTH PLATFORM DECK PLAN. 4. BENT SPACING VARIES FROM 15 TO 20 FT. Drawing Title Project No. Drawing No. Project 170594401 **RIVER RING** 60 20 40 60 Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. SOUTH PLATFORM 03/18/2022 W-111 BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50 Drawn By 21 Penn Plaza, 360 West 31st Street, 8th Floor FRAMING PLAN KRW New York, NY 10001 SCALE IN FEET BROOKLYN Checked By T: 212.479.5400 F: 212.479.5444 www.langan.com

KINGS


NEW YORK


USACE FILE: NAN-2021-00531-EMI EBB EAST RIVER ±489 FT **FLOOD** (12) (13) (14) **EXISTING** CAISSON PRECAST PLANK (TYP, SIZE VARIES) PRECAST PLANK WITH WALL (TYP, SIZE VARIES) BULKHEAD (SEE W-140) 31 WALKWAY ABOVE (SEE W-130 SERIES) NOTES: 1. SEE W-101 FOR OVERALL SITE STRUCTURES PLAN. ±177 FT 2. SEE W-110 FOR SOUTH PLATFORM FOUNDATION PLAN. 3. SEE W-111 FOR SOUTH PLATFORM FRAMING PLAN. Drawing Title Project No. Drawing No. Project 170594401 **RIVER RING** 60 20 40 60 Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. SOUTH PLATFORM 03/18/2022 W-112 BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50 Drawn By 21 Penn Plaza, 360 West 31st Street, 8th Floor **DECK PLAN** KRW New York, NY 10001 SCALE IN FEET BROOKLYN Checked By T: 212.479.5400 F: 212.479.5444 www.langan.com KINGS **NEW YORK**





USACE FILE: NAN-2021-00531-EMI 3 EAST RIVER EXISTING CAISSON (TYP) ±355 FT PLATFORM OUTLINE 26.3 FT PRECAST BENT BEAM (TYP) WALKWAY (SEE W-130 SERIES) 96.7 FT 61.4 FT 27.8 FT NOTES: 1. SEE W-101 FOR OVERALL SITE STRUCTURES PLAN. 2. SEE W-120 FOR WEST PLATFORM FOUNDATION PLAN. 3. SEE W-122 FOR WEST PLATFORM DECK PLAN. 4. BENT SPACING VARIES FROM 13 TO 21 FT. Drawing Title Project No. Drawing No. Project 170594401 **RIVER RING** 60 20 40 60 Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. **WEST PLATFORM** 03/18/2022 W-121 BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50 Drawn By 21 Penn Plaza, 360 West 31st Street, 8th Floor **FRAMING PLAN** KRW New York, NY 10001 SCALE IN FEET BROOKLYN Checked By T: 212.479.5400 F: 212.479.5444 www.langan.com **KINGS NEW YORK** Sheet 15 of 43


USACE FILE: NAN-2021-00531-EMI EAST RIVER **EXISTING CAISSON** (TYP) ±355 FT PLATFORM OUTLINE PRECAST PLANK (TYP, SIZE VARIES) PRECAST PLANK WITH WALL (TYP, SIZE VARIES) WALKWAY (SEE W-130 SERIES) NOTES: 1. SEE W-101 FOR OVERALL SITE STRUCTURES PLAN. 2. SEE W-120 FOR WEST PLATFORM FOUNDATION PLAN. 3. SEE W-121 FOR WEST PLATFORM FRAMING PLAN. Drawing Title Project No. Drawing No. Project 170594401 **RIVER RING** 60 20 40 60 Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. Date **WEST PLATFORM** 03/18/2022 W-122 BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50 Drawn By 21 Penn Plaza, 360 West 31st Street, 8th Floor **DECK PLAN** KRW New York, NY 10001 SCALE IN FEET BROOKLYN Checked By T: 212.479.5400 F: 212.479.5444 www.langan.com **KINGS NEW YORK**











USACE FILE: NAN-2021-00531-EMI EBB EAST RIVER FLOOD WALKWAY ABOVE (SEE W-110 SERIES) **RIPRAP** REVETMENT SOUTH PLATFORM BELOW (SEE W-110 SERIES) COBBLE LIMITS OF SILL/REVETMENT SILL MLLW EL -2.6MLW EL -2.4SAND **BEACH** MHW EL 1.8 SALT MÁRSH/ TIDE POOLS MHHW EL 2.2 STA 7+08 BULKHEAD BELOW (SEE W-140 SERIES) STA 2+22 NOTES: 1. SEE W-101 FOR OVERALL SITE STRUCTURES PLAN. 2. STATIONS ARE MEASURED ALONG MHHW LINE. Project No. Drawing Title Drawing No. Project 170594401 **RIVER RING** 60 20 60 Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. Date **SHORELINE** 03/18/2022

BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50

BROOKLYN

21 Penn Plaza, 360 West 31st Street, 8th Floor

New York, NY 10001

SCALE IN FEET

T: 212.479.5400 F: 212.479.5444 www.langan.com **KINGS NEW YORK** Filename: c:lbms\langan-pw-01\dms41745\170594401-0201-BF101-0105.dwg Date: 3/18/2022 Time: 18:00 User: fdemelo Style Table: Langan.stb Layout: ANSIA-BL (10


PART PLAN


W-150


Drawn By


Checked By


KRW






























USACE FILE: NAN-2021-00531-EMI 3 LEGEND: EXISTING COVER TOTAL 20,830 SF EXISTING COVER OPEN WATER 13,659 SF LITTORAL ZONE 7,171 SF EXISTING MEAN HIGH WATER INTERTIDAL ZONE 0 SF NOAA NAVIGATION CHANNEL EXISTING MEAN HIGHER HIGH WATER EXISTING LITTORAL ZONE EXTENT 1974 TIDAL WETLAND BOUNDARY EXISTING COVER 20,830 SF (MHW) 20,938 SF (MHHW) N27º05'53" TOS PIERHEAD LINE BLOCK 236 N/F UNIOS OF CONSOLIDATED EDISON MET 1980 PC 1474 BLOCK 2376 UNITED STRUES BILLMERO LINE APPRONED FEBRUARY 25, 1010 PER NET. (5) SEAWARD EXTENT OF LITTORAL ZONE EL -8.4 STREET NOTE: BACKGROUND REFERENCED FROM SURVEY PREPARED BY CONTROL POINT ASSOCIATES INC. PC TITLED "BOUNDARY & TOPOGRAPHIC SURVEY" REVISED 27 MARCH 2020. Project No. Drawing No. Project Drawing Title 170594401 **RIVER RING** Date Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. 100 100 03/18/2022 W-501 BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50 **EXISTING COVER** Drawn By 21 Penn Plaza, 360 West 31st Street, 8th Floor New York, NY 10001 SCALE IN FEET BROOKLYN Checked By T: 212.479.5400 F: 212.479.5444 www.langan.com KINGS **NEW YORK** Sheet 34 of 43

USACE FILE: NAN-2021-00531-EMI



NET COVER WITH RESPECT TO MEAN HIGH WATER				
WETLAND ZONE	EXISTING (SF)	PROPOSED (SF)	NET CHANGE (SF)	
OPEN WATER	13,659	51,402	37,743 (INCREASE)	
LITTORAL ZONE	7,171	284	(6,887) (DECREASE)	
INTERTIDAL ZONE	0	179	179 (INCREASE)	
TOTAL	20,830	51,865	31,035 (INCREASE)	
CREATED WETLANDS		4,650	4,650 (INCREASE)	

3

NET COVER WITH RESPECT TO MEAN HIGHER HIGH WATER					
WETLAND ZONE	EXISTING (SF)	PROPOSED (SF)	NET CHANGE (SF)		
OPEN WATER	13,659	51,402	37,743 (INCREASE)		
LITTORAL ZONE	7,279	284	(6,995) (DECREASE)		
INTERTIDAL ZONE	0	203	203 (INCREASE)		
TOTAL	20,938	51,889	30,951 (INCREASE)		
CREATED WETLANDS		4,657	4,657 (INCREASE)		

LANGAN

Langan Engineering, Environmental, Surveying,
Landscape Architecture and Geology, D.P.C.

21 Penn Plaza, 360 West 31st Street, 8th Floor New York, NY 10001

T: 212.479.5400 F: 212.479.5444 www.langan.com

Project RIVER RING

BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50 BROOKLYN

NEW YORK

KINGS

NET COVER

Drawing Title

Project No. 170594401

Date 03/18/2022

Drawn By CD

Checked By

W-503

KH Sheet 36 of 43

USACE FILE: NAN-2021-00531-EMI 3 LEGEND: WATER CREATED (SF) WATER LOST (SF) **NET CHANGE (SF)** WATER AREA CREATED 42,015 35,164 (CREATED) MHW 6,851 34,631 (CREATED) 41,434 6,803 MHHW WATER AREA LOST NOAA NAVIGATION CHANNEL EXISTING MEAN HIGH WATER PROPOSED MEAN HIGH WATER EXISTING MEAN HIGHER HIGH WATER PROPOSED MEAN HIGHER HIGH WATER EXISTING LITTORAL ZONE EXTENT PROPOSED LITTORAL ZONE EXTENT 1974 TIDAL WETLAND BOUNDARY PROPOSED MEAN LOW WATER US PIERHEAD LINE PROPOSED EXTENT OF CAISSON REMOVED LITTORAL ZONE WATER CREATED EL -8.4 805 SF (MHW) WATER LOST 805 DF (MHHW) 6,851 SF (MHW) 6,803 SF (MHHW) PROPOSED MHW PROPOSED MLW **PROPOSED** MHHW WATER CREATED WATER CREATED BULKHEAD 18,737 SF (MHW) 3,429 SF (MHW) 18.838 SF (MHHW) 3,144 SF (MHHW) WATER CREATED 19,044 SF (MHW) 19,452 SF (MHHW) 1188

BACKGROUND REFERENCED FROM A SITE PLAN DATED SEPTEMBER 17 2020 BY JAMES CORNER FIELD OPERATIONS. Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. 100 100 21 Penn Plaza, 360 West 31st Street, 8th Floor New York, NY 10001 SCALE IN FEET T: 212.479.5400 F: 212.479.5444 www.langan.com

Project **RIVER RING**

BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50 BROOKLYN KINGS **NEW YORK**

WATER AREA CREATED PLAN


Drawing Title

Project No. Drawing No. 170594401 Date 03/18/2022 Drawn By Checked By Sheet 37 of 43


W-504

Filename: c:\bms\langan-pw-01\dms41745\170594401-0201-BL101-0109.dwg Date: 3/18/2022 Time: 18:03 User: fdemelo Style Table: Langan.stb Layout: WATER AREA CREATED PLAN

USACE FILE: NAN-2021-00531-EMI LEGEND: EXISTING MEAN HIGH WATER INTERTIDAL ZONE CREATED PROPOSED MEAN HIGH WATER PROPOSED MEAN HIGHER HIGH WATER LITTORAL ZONE CREATED EXISTING LITTORAL ZONE EXTENT PROPOSED LITTORAL ZONE EXTENT SALT MARSH CREATED 1974 TIDAL WETLAND BOUNDARY PROPOSED MEAN LOW WATER TIDAL POOLS CREATED OPEN WATER CREATED LITTORAL ZONE CREATED 6,735 SF (MHW) 6,735 SF (MHHW) PROPOSED MHHW NOAA NAVIGATION CHANNEL US PIERHEAD LINE PROPOSED EXTENT OF CAISSON REMOVED LITTORAL ZONE OPEN WATER CREATED EL -8.4 805 SF (MHW) 805 SF (MHHW) PROPOSED MHW INTERTIDAL ZONE PROPOSED MLW CREATED 14,793 SF (MHW) 16,148 SF (MHHW) OPEN WATER CREATED 3,429 SF (MHW) 3.144 SF (MHHW) SALT MARSH (INTERTIDAL ZONE) CREATEÓ INTERTIDAL ZONE CREATED 18,124 SF (MHW) 4.817 SF (MHW) 18,532 SF (MHHW) 5.192 SF (MHHW) BULKHEAD TIDAL POOLS (LITTORAL ZONE) LITTORAL ZONE CREATED CREATED 13.920 SF (MHW) 920 SF (MHW)



USACE FILE: NAN-2021-00531-EMI LEGEND:



3	4	

WETLAND AREAS WITH RESPECT TO MEAN HIGH WATER				
WETLAND ZONE	NEW ZONES CREATED (SF) SEE W-505	CHANGES TO EXISTING WETLAND ZONES (SF) SEE W-506	EXISTING ZONES FILLED (SF) SEE W-506	NET CHANGE (SF)
OPEN WATER	4,234	4,708	(1,023)	7,919 (CREATED)
LITTORAL ZONE	20,655	(5,710)	(2,983)	11,962 (CREATED)
INTERTIDAL ZONE	19,610	1,002	(3,795)	16,817 (CREATED)
SALT MARSH	18,124			18,124 (CREATED)
TIDAL POOLS	920			920 (CREATED)
TOTAL	63,543	0	7,801	55,742 (CREATED)

WETLAND AREAS WITH RESPECT TO MEAN HIGHER HIGH WATER				
WETLAND ZONE	NEW ZONES CREATED (SF) SEE W-505	CHANGES TO EXISTING WETLAND ZONES (SF) SEE W-506	EXISTING ZONES FILLED (SF) SEE W-506	NET CHANGE (SF)
OPEN WATER	3,949	4,808	(944)	7,813 (CREATED)
LITTORAL ZONE	20,381	(5,889)	(2,983)	11,509 (CREATED)
INTERTIDAL ZONE	21,340	1,081	(3,898)	16,739 (CREATED)
SALT MARSH	18,532			18,532 (CREATED)
TIDAL POOLS	920			920 (CREATED)
TOTAL	65,122	0	7,825	55,513 (CREATED)

LANGAN

Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. 21 Penn Plaza, 360 West 31st Street, 8th Floor New York, NY 10001

T: 212.479.5400 F: 212.479.5444 www.langan.com

Project RIVER RING

KINGS

BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50 BROOKLYN

NEW YORK

NEW WETLAND ZONES SUMMARY TABLE

Drawing Title


Project No. 170594401 Date 03/18/2022 Drawn By CD Checked By Drawing No.

W-507

Filename: c:\bms\langan-pw-01\dms41745\170594401-0201-BL101-0109.dwg Date: 3/18/2022 Time: 18:03 User: fdemelo Style Table: Langan.stb Layout: NEW WETLAND ZONES SUMMARY TABLE

Sheet 40 of 43

USACE FILE: NAN-2021-00531-EMI



		NET VOLUME (CY) MHW	NET VOLUME (CY) MHHW
Ex. Cofferdam Removed		-1097	-1109
Ex. Piles Removed		-187	-192
Riverbed Debris Remo	oved	-674	-674
West Breakwater Platform		5965	6076
South Breakwater Platform		9428	9765
Breakwater Piles (See Note 1)		790	790
Boardwalk Piles (See Note 2)		61	62
Marsh and Tidal Pools		-3546	-3726
River Bottom	Cove	-11664	-11574
	Groin	2343	2445
	Bulkhead	-5977	-5977
Cofferdam Concrete Encasement		288	294
Net Volume (CY)		-4270	-4000
Reefs (allowance)		1695	1695
Net Volume (CY)		-2575	-2305

NOTES:

- . THE TOTAL CONCRETE FILL FOR BREAKWATER PILES BELOW MHW AND MHHW IS 738 CY.
- 2. THE TOTAL CONCRETE FILL FOR BOARDWALK PILES BELOW MHW AND MHHW ARE 54 AND 55 CY RESPECTIVELY.

KINGS

LANGAN Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C.

Landscape Architecture and Geology, D.P.C 21 Penn Plaza, 360 West 31st Street, 8th Floor New York, NY 10001

T: 212.479.5400 F: 212.479.5444 www.langan.com

Project RIVER RING

BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50 BROOKLYN

NEW YORK

NET CUT/FILL
VOLUMES
SUMMARY CHART

Project No. 170594401 Date 03/18/2022 Drawn By CD Checked By

W-509

Drawing No.

Filename: c:\bms\langan-pw-01\dms41745\170594401-CA101-0101.DWG Date: 3/18/2022 Time: 18:04 User: fdemelo Style Table: Langan.stb Layout: NET CUT & FILL SUMMARY CHART

USACE FILE: NAN-2021-00531-EMI EAST RIVER **STORMWATER INFILTRATES** THROUGH FILL ON PLATFORM SOUTH -WEST **BREAKWATER** BREAKWATER **PLATFORM PLATFORM** STORMWATER **INFILTRATES** THROUGH FILL ON **PLATFORM** PROPOSED 24-IN PROPOSED 24-IN STORM WATER STORM WATER OUTFALL **OUTFALL** TO EAST RIVER TO EAST RIVER **PROPOSED** PROPOSED MANHOLE MANHOLE **PROPOSED** WATER QUALITY UNIT CONTINUATION TO SITE STORM DRAINGAGE CONTINUATION TO SITE STORM WATER DRAINAGE **PROPOSED** WATER QUALITY UNIT Drawing Title Project No. Drawing No. Project 170594401 **RIVER RING** Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. 100 100 03/18/2022 **CS101** BLOCK No. 2355, LOT No. 1 BLOCK No. 2361, LOT No. 1, 21 BLOCK No. 2376, LOT No. 6, 50 **OUTFALL PLAN** Drawn By 21 Penn Plaza, 360 West 31st Street, 8th Floor New York, NY 10001 SCALE IN FEET BROOKLYN Checked By T: 212.479.5400 F: 212.479.5444 www.langan.com NEW YORK Sheet 43 of 43

